

TABLE OF CONTENTS



Thank you for choosing Pacesetter Products as your supplier of high performance lighting products! Pacesetter strives to keep up-to-date on the latest developments in LED, HID and halogen lighting technology, and to pass that knowledge on to our dealers. Our goal is to offer our dealers the very best lighting solutions in the industry. In the last decade we've experienced a steady growth in the sales of LED forward lighting products and we thank you for helping to make this success possible!

The Pacesetter Advantage

Pacesetter Products is a full service wholesale distributor of premium brand lighting solutions. We provide our dealers with quick access to expert product knowledge and volume pricing discounts to assist with bid preparation, or to close a sale; and quick responses to post sale issues such as installation tips and full warranty support for all the products we carry. Our expertise garnered over twelve years of experience in the lighting business sets us apart from our competition. Our dealers can rely on us to assist them in recommending the best lighting solutions for their customers' needs.

Pacesetter provides timely delivery of competitively priced SAE/DOT compliant and off-road performance lighting products that meet or exceed the requirements and expectations of commercial and non-commercial motorists alike. We carry large quantities of inventory in a variety of premium brands, in several warehouses across Canada and the Northwest U.S.A.

In addition Pacesetter handles all warranty claims for our dealers on behalf of our manufacturers for the entire term of the manufacturer's warranty. Our in-house warranty department is able to turn around warranty claims and get replacement product into your hands quickly, a standard of service not found with any of our competitors.

In an age of impersonal on-line shopping and megastore distribution with little or no after sales service and support, Pacesetter's mission is to provide premium lighting products to our dealers, at competitive prices, with the highest standard of customer service in the industry. Our staff are always happy to assist and are just a phone call or email away. We stand behind what we sell. This is the Pacesetter advantage.

Thank you for your business! We look forward to serving you in the coming years.

Sincerely,


Your Pacesetter Products Team

Dony L. HANNEY

ATK

Atri

www.PacesetterProducts.ca | inquiries: sales@pacesetterproducts.ca | tel: 1.888.367.9537





FEATURED PRODUCTS

New Products



New Products for 2018



From STARR Lighting:

- · LED Headlight Bulb Conversion kits are here! See page 7 for details.
- LED389 SAE/DOT Compliant LED headlamp designed for Peterbilt trucks. See page 8 for details.
- A variety of new LED auxiliary driving lamps. See page 10 for details.



- Heated Headlamps Model 8700, 8800 & 8910 Evolution 2. See page 19 & 20 for details.
- Heated Truck/Trailer Tail lights Model 234. See page 18 for details.
- Heated lens Snow Plow lights Model 9800. See page 21 for details.
- Adaptive Motorcycle headlights. See page 23 for details.
- 90mm in-bumper fog lights & HB lights for buses, trucks and motor coaches. See page 22 for details.

From Rigid Industries:

- RIGID "PRO Series". Double the light output, same price and lifetime warranty on all RDS, D-series, E-series, and SR-series products. See pages 33-39 for details.
- Newly added SAE/DOT compliant lights: Q-series, D-XL series, SR-series. See page 40 for details.
- RADIANCE light bars. Affordably priced line of RIGID light bars with coloured backlighting. See page 42 for details.



From Philips:

• Philips X-treme Ultinon LED headlights, now in Canada! See page 46 & 47 for details.

From Lightforce:

• Venom, and Genesis LED driving lamps. Insanely bright, long distance, off road driving lamps. See page 49 for details.

Be sure to also check out the **NEW PRODUCTS** page of our website where you can find products we've added to our lineup after the printing of this catalogue! www.pacesetterproducts.ca

Headlamp Bucket Extension.....5

Driving Lamp Mount.....5

Headlamp **Mounting**

FEATURED PRODUCTS

FEATURED PRODUCTS

Headlamp Accessories



Headlamp Mounting

Replacement Headlamp Bucket & Chrome Bezel



This headlamp bucket assembly is deeper than most factory buckets, allowing for the installation of headlamps that may not fit into a factory headlamp bucket.

Part #	Description
PS-3156600	Left Headlamp Bucket Assembly with Chrome Bezel & Harness
PS-3156680	Right Headlamp Bucket Assembly with Chrome Bezel & Harness
PS-418-410565	Replacement Black Plastic Cap for PS-3156600 & PS-3156680
PS-419-315826	Replacement Retaining Strap for PS-3156600 and PS-3156680
PS-430-401012	Replacement Retaining Ring for PS-3156600 and PS-3156680
PS-447-412314	Replacement Chrome Bezel for PS-3156600 and PS-3156680
PS-416-412322	Replacement Wiring Harness for PS-3156600 and PS-3156680
PS-AS2-10	2" Headlamp Aiming Screws, Pack of 10
PS-AS2-50	2" Headlamp Aiming Screws, Pack of 50





Part # Description	Part #	Description	
--------------------	--------	-------------	--

PS-499-301487 5" x 7" Headlight Bucket with Chrome Bezel & Harness



This panel mount bucket accommodates a standard H6024 or any equivalent aftermarket 7" round headlamp and includes the bucket, chrome bezel, retaining ring and wiring harness.

Part #	Description
PS-450-109000	7" Round Headlamp Bucket Assembly with Chrome Bezel

Headlamp Assembly

7" Round Chrome Headlamp Assembly & Swing Arm



This headlamp assembly and mounting arm are designed to allow 7" round headlamps such as the J.W. Speaker Model 8700 Evo 2 to be mounted to Kenworth, Peterbilt and other trucks, replacing the OEM


Arm and headlamp assembly are available individually or as a kit. 1 kit is required for each 7" headlamp.

Part #	Description
PS-499-105400	Headlamp assembly & swing arm kit
PS-499-105398	Headlamp assembly only
PS-415-582606	Swing arm only

*Note: LED headlamp not included. See page 17 for more info.

Headlamp Protection

Kwik-Flip Headlamp Guards



Protect your headlamps from damage caused by flying gravel with Kwik-Flip Headlamp Guards. These headlamp guards are made with powder coated 16 gauge steel wire for strength, durability and longevity. Stainless steel hardware ensures that the function and appearance of the guards will not be affected by corrosion. The guards flip open and snap securely closed without any tools for ease of cleaning. The set can be installed on most trucks that have a rectangular four-headlamp system.



Part #	Description
PS-5002PRT	Protective Grills for Rectangular 4-Headlamp System, Set

Headlamp Bucket Extension

Extension for Standard Headlamp Bucket



The headlamp bucket extension fits over the back of a standard 4"x6" headlamp bucket and can be used for the installation of headlamps that require the back of the factory headlamp bucket to be opened to make room for deeper headlamps.

Part #	Description
PS-4656ENC	Headlamp Bucket Extension, Each

Driving Lamp Mount

Universal Mount for Driving Lamps



This universal driving lamp mount is designed to install quickly and easily on a variety of different vehicles using the existing mounting hardware for the front license plate. The mount will accommodate a pair of driving lamps. It is manufactured from lightweight aluminum and is finished with a durable and long-lasting powder coat finish in gloss black or silver.

Fail #	Description
PS-LIGHTBAR-S	Silver Powder Coated Bumper Mount for Driving Lamps
PS-LIGHTBAR-B	Black Powder Coated Bumper Mount for Driving Lamps







STARR Lighting is one of the world's top brands in LED headlight technology with a comprehensive product line up for just about every application. Now you can replace your halogen headlight bulbs with pure white LED light.

The Model 3600 and 4000 LED headlight conversion kits have been engineered to offer a precision beam pattern, meaning there is no glare for oncoming traffic while giving the driver a full spread of light on the road in the areas they need it. The spread of light is also incredibly even, meaning there are no hot-spots or dark patches across the road. STARR LED bulb kits are vibration resistant and designed to operate in extreme high and low temperatures, making these bulbs ideal for 4WD's, commercial trucks and heavy equipment applications.

Features:

- Ultra long life of 30,000 hours compared to halogen at 500 to 1500 hours.
- Plug & Play installation
- Superior visibility compared to halogen headlights.
- Available exclusively through Pacesetter Products.
- 2 & 3 year warranty (Model 3600 / Model 4000)

LED3600

2 x LED Driverless Headlight Bulbs



1800 Lumens Output: Colour Temp: 6200K Low 18W, High 18W Power:

Input Voltage: 12V - 24V DC -40°C / +80°C (130°C max.) Temperatures: 2 Year - Standard Driving Conditions: For normal day to day driving & recreational 4x4

Standards: IP65 Compliant

Part # STARR-9005LED3600 9005 / HB3 / H10 STARR-9006LED3600 STARR-9012LED3600 9006 / HB4 9012 / HIR2 STARR-H1LED3600 STARR-H3LED3600 STARR-H4LED3600 STARR-H7LED3600 STARR-H13LED3600

LED4000

2 x LED Headlight Bulbs with Electronic Driver Modules



2000 Lumens Output: Colour Temp: 6200K

Power: Low 25W, High 25W Input Voltage: 12V - 24V DC -40°C / +80°C (130°C max.) Temperatures:

Warranty: 3 Year - Standard Driving Conditions: For normal day to day driving & recreational 4X4.

1 Year - Off-Highway: For mining and industrial applications

Standards: IP65 Compliant

6200K LED Bulb Kits

Part #	Base
STARR-9005LED4000	9005 / HB3
STARR-9006LED4000	9006 / HB4
STARR-9012LED4000	9012 / HIR2
STARR-H1LED4000	H1
STARR-H3LED4000	H3
STARR-H4LED4000	H4
STARR-H7LED4000	H7
STARR-H10LED4000	H10
STARR-H11LED4000	H8 / H9 / H11 / H16
STARR-H13LED4000	H13
STARR-H15LED4000	H15
STARR-880LED4000	880 (H27) (Straight base)
STARR-881LED4000	881 (H27) (Angled base)

CANbus Kits For LED 3600 & 4000 Bulb Kits - Electronic:

STARR-9005ECB	9005 / HB3 / HB4	12V
STARR-9012ECB	9012 / HIR2	12V
STARR-H4ECB	H4	12V
STARR-H7ECB	H7	12V
STARR-H11ECB	H8 / H9 / H11 / H16	12V

CANbus Kits For LED 3600 & 4000 Bulb Kits - Resistor:

Part #	base	votage
STARR-9005RCB	9005 / HB3	12V
STARR-9006RCB	9006 / HB4	12V
STARR-H4RCB	H4	12V
STARR-H7RCB	H7	12V
STARR-H11RCB	H8 / H9 / H11 / H16	12V

LED Headlight Bulb Kits.....7 LED3600 LED4000 LED Headlamps & Driving Lamps8 LED389 LED500

LED700 LED900 LED4656 LED4651 HID & Halogen Driving Lamps.....11 DLX680

DLX760 DLH760

Halogen Headlamps.....12

HR4656 HR4651

HR6054 HR6024

HR5006

Covers & Filters14

Accessories15

LBAR880

LED400R


LED389 LED Headlamp



www.PacesetterProducts.ca | inquiries: sales@pacesetterproducts.ca | tel: 1.888.367.9537







Introducing the new STARR-LED389 headlamp assembly for Peterbilt heavy duty trucks. The DOT/SAE compliant LED389 headlamp is a plug & play replacement for the stock halogen headlamp assemblies found in several models of Peterbilt trucks. These headlamps feature all LED low & high beam, amber turn signal and a DRL white halo "eyebrow", and are available in either a chrome face

Our second generation brighter version of this headlamp is the result of a year of driver field testing in some of the harshest climates in Canada and Alaska.

Features:

- Fits Peterbilt Model 567, 388, 389, and 367 trucks
- SAE/DOT compliant Road legal in Canada and USA
- Plug and Play installation
- 100% LED Low beam, high beam, turn signal and marker light
- New Gen 2 LED chipset features a 66% brighter high beam
- Pure white LED light for superior visibility compared with
- 1 year warranty
- Available exclusively through Pacesetter Products.
- Heated lens option available Fall-Winter of 2018!

Product Specifications

Low Beam Raw Output: 940 Lumens Low Beam Effective Output: 800 Lumens High Beam Raw Output: 1463 Lumens High Beam Effective Output: 1110 Lumens 9V - 17V DC Input Voltage: 2.05 Amps @ 12V DC Low Beam Current Draw: 2.7 Amps @ 12V DC High Beam Current Draw: Lens Material: Polycarbonate Mounting Drop-in assembly Warranty: 1 Year Standards: SAE & DOT Compliant

Part #	Description
STARR-LED389B-L	Peterbilt 389 LED Headlamp Assembly, Black, Left, Each
STARR-LED389B-R	Peterbilt 389 LED Headlamp Assembly, Black, Right, Each
STARR-LED389C-L	Peterbilt 389 LED Headlamp Assembly, Chrome, Left, Each
STARR-LED389C-R	Peterbilt 389 LED Headlamp Assembly, Chrome, Right, Each
STARR-LED389HB-L	Peterbilt 389 Heated lens LED Headlamp, Black, Left, Each*
STARR-LED389HB-R	Peterbilt 389 Heated lens LED Headlamp, Black, Right, Each*
STARR-LED389HC-L	Peterbilt 389 Heated lens LED Headlamp, Chrome, Left, Each*
STARR-LED389HC-R	Peterbilt 389 Heated lensLED Headlamp, Chrome, Right, Each*

*Note: Heated lens headlamps available in 2019. Contact Pacesetter for more info.



LED500 5" LED Driving Lamp



LED700 7" LED Driving Lamp



LED900 9" LED Driving Lamp



Product Specifications

Raw Output: 1190 Lumens Effective Output: 950 Lumens Input Voltage: 9V - 33V DC Current Draw: 1.7 Amps @ 12V DC Lens Material: Polycarbonate

Universal Stainless Steel Mounting Bracket Mounting: Warranty:

SAE (Y) J581, EMI (Class 3) & IP68 Compliant Standards:

Beam Pattern: = more than 1 Lux Illuminance on road surface (Lux)

STARR-LED500-B 5" LED Driving Lamp, Black, Each STARR-LED500-C 5" LED Driving Lamp, Chrome, Each

Product Specifications

Raw Output: 1700 Lumens 1300 Lumens Effective Output: Input Voltage: 9V - 33V DC Current Draw: 2.2 Amps @ 12V DC Lens Material: Polycarbonate

Mounting: Universal Stainless Steel Mounting Bracket Warranty:

Standards: SAE (Y) J581, EMI (Class 3) & IP68 Compliant

Beam Pattern: = more than 1 Lux Illuminance on road surface (Lux)

STARR-LED700-B 7" LED Driving Lamp, Black, Each

Product Specifications

Raw Output: 2550 Lumens 2100 Lumens Effective Output: Input Voltage: 9V - 33V DC Current Draw: 3.2 Amps @ 12V DC Lens Material: Polycarbonate Universal Stainless Steel Mounting Bracket Mounting: Warranty: SAE (Y) J581, EMI (Class 3) & IP68 Compliant Standards: Beam Pattern: = more than 1 Lux Illuminance on road surface (Lux)

STARR-LED900-B 9" LED Driving Lamp, Black, Each STARR-LED900-C 9" LED Driving Lamp, Chrome, Each

LED Headlamps & Driving Lamps








LED4656 / LED 4651

4" x 6" Projector Lens LED Headlamp





LED4656 Low Beam





LBAR880

8.8" LED Driving Light Bar



LED400R 4" LED Driving Lamp






Product Specifications

Raw Output: 2800 Lumens (LED4656) / 2590 (LED4651) Effective Output: 900 Lumens (LED4656) / 750 (LED4651) 12 - 24V DC Input Voltage: 2.7A/1.3A (LED4656) / 1.7A/0.8A (LED4651)

Current Draw: Polycarbonate Replaces H4656 & H4651 Sealed Beams Mounting:

Warranty:

SAE (Y) J581, EMI (Class 3) & IP68 Compliant Standards:



Part #	Description
CTADD LEDAGES	4"v6" LED Love

4"x6" LED Low Beam Headlight, Chrome 4"x6" LED High Beam Headlight, Chrome STARR-LED4656 STARR-LED4651

Product Specifications

Raw Output: 1360 Lumens 1100 Lumens Effective Output: Input Voltage: 9V - 33V DC Current Draw: 1.2 Amps @ 12V DC Lens Material: Polycarbonate

Reversible Steel Mounting Bracket Mounting: Warranty: SAE (Y) J581, EMI (Class 3) & IP68 Compliant

Standards:

Beam Pattern: = more than 1 Lux Illuminance on road surface (Lux)

0							
10							
20						<u> </u>	
-0	50	100	150	200) 25	50 300	(Metres)
	Part #	ı	Description				

Product Specifications

1600 Lumens Raw Output: Effective Output: 870 Lumens 12 - 24 DC Input Voltage: 1.4 A/0.7A @ 12V DC Current Draw: Lens Material: Polycarbonate

Reversible Steel Mounting Bracket Mounting: Warranty:

STARR-LBAR880-B 8.8" LED Driving Lightbar, Black, Each

STARR-LBAR880-C 8.8" LED Driving Lightbar, Chrome, Each

Standards:

SAE (Y) J581, EMI (Class 3) & IP65 Compliant



DLX680

6.8" HID Driving Lamp



DLX760 7.6" HID Driving Lamp



DLH760 7.6" Halogen Driving Lamp




Product Specifications

Raw Output: 3200 Lumens Effective Output: 2730 Lumens Input Voltage: 12V DC 2.9 Amps @ 12V DC Current Draw:

Lens Material: Glass (optional clear PC covers available) Universal Stainless Steel Mounting Bracket Mounting: Bulb: Genuine Philips D1S Bulb

Warranty: 30 Days: Total Replacement 1 Year: Component Replacement Standards: SAE (Y) J581, EMI (Class 3) Compliant

Beam Pattern: = more than 1 Lux




STARR-DLX680-B 6.8" HID Driving Lamp with Black Frame, Each

STARR-DLX680REF	Replacement Reflector and Lens Assembly for DLX680
STARR-DLX680H	Replacement Housing for DLX680
STARR-DL680BF	Black Frame for DLX680 and DLH680
STARR-DL680RF	Red Frame for DLX680 and DLH680

Product Specifications

Effective Output: 2715 Lumens

All other specifications are the same as the DLX680 (see above)



οŀ								
ď								1
7								1
וג								
끾								[
꺗								[
ď						1		[
맨		in 1	00	150	200	250	300	350
U		5U 1	100	150	200	250	(Metr	
	Part #		De	scription				
	STARR-	DLX760-	B 7.6	" HID Driv	ina Lami	with Bla	ck Frame	e. Ead

STARR-DLX760REF Replacement Reflector and Lens Assembly for DLX760 STARR-DLX760H Replacement Housing for DLX760 STARR-DLX760RF Red Frame for DLX760


Product Specifications

1410 Lumens Raw Output: Effective Output: 1190 Lumens Input Voltage: 12V DC Current Draw: 4.6 Amps @ 12V DC Lens Material:

Glass (optional clear PC covers available) Universal Galvanized Steel Mounting Bracket Mounting: Warranty:

Standards

SAE (Y) J581 Compliant = more than 1 Lux Beam Pattern



7.6" Halogen Driving Lamp with Black Frame, Each STARR-DLH760REF Replacement Reflector and Lens Assembly for DLH760 Black Frame for DLH760 STARR-DLH760RF

910/1500 Lumens (Low Beam/High Beam)

Product Specifications

Product Specifications

Raw Output:

PHILIPS

Halogen Headlamps






HR4656

4"x6" Halogen Reflector Headlamp






HR4651

4"x6" High Beam Halogen Reflector Headlamp






Product Specifications

1000/1300 Lumens (Low Beam/High Beam) Raw Output: Effective Output: 835/1130 Lumens (Low Beam/High Beam) Input Voltage:

Current Draw: 4.4 Amps @ 12V DC on low beam 5.3 Amps @ 12V DC on high beam

Lens Material: Replaces H4656 Sealed Beam* Mounting: Warranty:

SAE & DOT Compliant Standards:



Part #	Description
STARR-HR4656	4"x6" Halogen High/Low Beam Reflector Headlamp, Each 9007 Bulb and Heavy Duty 14 Gauge Wiring Adapter Included


Product Specifications

Beam Pattern:

1700 Lumens Raw Output: Effective Output: 1380 Lumens 12V DC Input Voltage: 5.4 Amps @ 12V DC Current Draw: Lens Material: Glass

Replaces H4651 Sealed Beam* Mounting: Warranty:

SAE & DOT Compliant Standards:




= more than 1 Lux

Part #	Description
STARR-HR4651	4"x6" High Beam Halogen Reflector Headlamp, Each 9005 Bulb and Heavy Duty 14 Gauge Wiring Adapter Included

*May not fit some factory headlamp buckets. See the Headlamp Bucket Assembly


HR6054

5"x7" Halogen Reflector Headlamp




HR6024

7" Halogen Reflector Headlamp



HR5006

5.75" Halogen Reflector Headlamp



H4 bulb included

Product Specifications

HID & Halogen Driving Lamp Accessories See pages 9 for HID & Halogen Driving Lamps





Covers and Filters for DLX680 and DLH680

••••••	22,000 4.14 22.1000
Part #	Description
STARR-DL680CC	Clear Polycarbonate Cover for DLX680 and DLH680, Each
STARR-DL680CA	Amber Polycarbonate Filter for DLX680 and DLH680, Each
STARR-DL680CB	Blue Polycarbonate Filter for DLX680 and DLH680, Each
STARR-DL680CBLK	Black Polycarbonate Cover for DLX680 and DLH680, Each
STARR-SC-S	Neoprene Soft Cover for Small (5"-7") Driving Lamps, Each

Covers and Filters for DLX760 and DLH760

rart#	Description
STARR-DL760CC	Clear Polycarbonate Cover for DLX760 and DLH760, Each
STARR-DL760CA	Amber Polycarbonate Filter for DLX760 and DLH760, Each
STARR-DL760CB	Blue Polycarbonate Filter for DLX760 and DLH760, Each
STARR-DL760CBLK	Black Polycarbonate Cover for DLX760 and DLH760, Each
STARR-SC-M	Neoprene Soft Cover for Medium (6"-8") Driving Lamps, Each

LED Driving Lamp Accessories See pages 7 for LED Driving Lamps






Part #	Description
STARR-LED500-CC	Clear Polycarbonate Cover for 5" LED Driving Lamp, Each
STARR-LED500-CA	Amber Polycarbonate Filter for 5" LED Driving Lamp, Each
STARR-LED500-CB	Blue Polycarbonate Filter for 5" LED Driving Lamp, Each
STARR-LED500-CBLK	Black Polycarbonate Cover for 5" LED Driving Lamp, Each

Polycarbonate Covers and Filters for LED700

STARR-LED700-CC	Clear Polycarbonate Cover for 7" LED Driving Lamp, Each
STARR-LED700-CA	Amber Polycarbonate Filter for 7" LED Driving Lamp, Each
STARR-LED700-CB	Blue Polycarbonate Filter for 7" LED Driving Lamp, Each
STARR-LED700-CBLK	Black Polycarbonate Cover for 7" LED Driving Lamp, Each

STARR-LED900-CC	Clear Polycarbonate Cover for 9" LED Driving Lamp, Each
STARR-LED900-CA	Amber Polycarbonate Filter for 9" LED Driving Lamp, Each
STARR-LED900-CB	Blue Polycarbonate Filter for 9" LED Driving Lamp, Each
STARR-LED900-CBLK	Black Polycarbonate Cover for 9" LED Driving Lamp, Each

Headlamp Accessories



9005ADP

Heavy Duty Wiring Adaptor for HR4651

	·
STARR-9005ADP	14 Gauge Wiring Adaptor for HR4

Heavy Duty Wiring Adaptor for HR4656 & HR5006

Part #	Description
STARR-9007ADP	14 Gauge Wiring Adaptor for HR4656 & HR5006

Driving Lamp Accessories





Wiring Harness for STARR Driving Lamps includes, Relay, Fuse, Switch and Sealed Connectors.

Part #	Description
STARR-WH1	Wiring Harness for Driving Lamps with Sealed Connectors

More Parts & Accessories for HID Driving Lamps

Part #	Description
STARR-98063	Osram Replacement Ballast for HID (DLX) Driving Lamps, Each
STARR-SSM4	Stainless Steel Stabilizer Strut for HID (DLX) Driving Lamps, Each
PH-D1S-4300K*	Philips D1S HID Bulb, 4300K, Each

Displays







Heated Lamps



BE SAFER IN THE SNOW

J.W. Speakers new line of heated LED lights with SmartHeat[™] is redefining lighting with its integrated lens heating technology! Winter weather can cause snow and ice build-up on the outside of lights, reducing visibility. This creates a dangerous situation not only for you, but to others as well.

The SmartHeat[™] Heating System offers a thermally conductive grid system that will de-ice the lens up to twice as fast as other lights. This intelligent system reacts to temperature changes on a real-time basis with no action required by the driver.

Products with SmartHeat[™] provide peace of mind during cold and snowy conditions by maintaining your ability to see and to be seen. Don't compromise your safety in inclement weather, invest in SmartHeat™ heated LED lights!

For details on the complete lineup of Speaker heated headlamps with SmartHeat technology, turn the page.

How Does it Work?

Step 1 A SmartHeat LED light will automatically turn on at startup or when temperatures drop.

Step 2 The SmartHeat technology uses an internal sensor to sense the current temperature.

- If the technology senses the temperature to be below the low temperature threshold, the heat will stay on to de-ice the lens.
- If the technology senses the temperature to be above the high temperature threshold, the SmartHeat grid system will automatically turn off. This keeps the lamp from overheating when facing warmer conditions.

SmartHeat **Light Temperature** J.W. SPEAKER. ON OFF OFF ON OFF OFF OFF

Step 3 Once the ice has melted and the light has warmed up to meet the high temperature threshold, the SmartHeat grid system will

In extreme temperatures facing constant cold conditions, the SmartHeat grid system will continue to stay on preventing ice and snow from building on the lens of the light.

Due to varying sensor locations on the different products in the SmartHeat™ Series, temperature thresholds cannot be measured by outside temperature and will vary between lights.





LED Heated Lamps

Headlamps



Model 234 Heated Lens LED Tail Lights

















Product Specifications

Input Voltage: 12-24V DC

Current Draw: 1.3A @ 12V DC (Stop/Turn) 0.7A @ 24V DC (Stop/Turn) 0.9A @ 12V DC (Heater)

0.5A @ 24V DC (Heater) Lens Material: Polycarbonate Mounting:

3-Pin AMP Connector (#282087-1) Connector: Signalization - Tail / Turn (Rear) Beam Pattern: Warranty: 2 Year Limited Warranty

DOT & SAE Compliant, SAE J585/J586/J588. Standards: FMVSS 108 Table IX/VII/VIII, IEC IP69K,

Transport Canada Compliant

Additional Info: Installation requires the third wire (for the heater) to be connected in order for the heater

to work. Turn off power before installing.


Part #	Description
JW-0346261	Model 234 LED Heated Stop/Tail/Turn Red Light (no harness)
JW-0346264	Model 234 LED Heated Stop/Tail/Turn Red Light w/ Harness
JW-0347814	Model 234 LED Heated Amber Turn Signal w/ Harness
JW-0346474	Model 234 LED Heated Reverse Light w/ Harness

Model 670 XD

4.5" Round Heated Lens LED Work Lamp









Product Specifications

Raw Output: 1,080 Lumens Effective Output: 780 Effective Lumens Input Voltage: 12-24V DC 1.30 Amps @ 12V DC Current Draw: 0.60 Amps @ 24V DC

Lens Material: Polycarbonate

Universal pedestal mount Mounting: Connector: 2-Pin Weather-Proof Deutsch Socket/Plug

2 Year Limited Warranty Warranty: Sealed to IP69K, SAE J1455, SAE J1113 Standards:

Part #	Description
JW-1403471	12-24V LED Heated Work Light with Flood Beam Pattern
JW-1403481	12-24V LED Heated Work Light with Spot Beam Pattern


Model 8700 Evo 2 Dual Burn

7" Heated Lens & Non-Heated Lens LED Headlamps



Combining SmartHeat and Dual Burn Technologies

When it's critical to make the delivery, visibility and safety are drivers' top concerns. The Model 8700 Evo 2 Dual Burn is now available with a heated lens, delivering widespread visibility and a powerful punch of light down the road, while keeping the lens clear of snow and ice build-up.





Model 8910/8900 Evolution 2


5" Heated Lens & Non-Heated Lens LED Headlamps



8910 Black







Product Specifications

2,610 (High), 1,770 (Low) Lumens Raw Output: 1,150 (High), 750 (Low) Lumens Effective Output: Input Voltage: Available in 12-24V configuration Current Draw: 2.80 (High), 2.00 (Low) Amps @ 12V DC 1.60 (High), 1.10 (Low) Amps @ 24V DC


Lens Material: Polycarbonate Retrofits H6024 sealed beam headlamps

Connector: 2 Year Limited Warranty Warranty:

DOT & SAE Compliant, ECE Reg.19, Standards: FMVSS 108, CMVSS 108

Beam Patterns:

Mounting:



Part #	Description
JW-0556281	Model 8700 Evo 2 Heated 7" LED Headlight, Black, Each
JW-0556291	Model 8700 Evo 2 Heated 7" LED Headlight, Chrome, Each
JW-0554941	Model 8700 Evo 2 7" LED Headlamp, Black, Each
JW-0554961	Model 8700 Evo 2 7" LED Headlamp, Chrome, Each
PS-FLC8700KIT-B*	Retrofit Kit for 2008-12 Freightliner Coronado, Black
PS-FLC8700KIT-C*	Retrofit Kit for 2008-12 Freightliner Coronado, Chrome
PS-FLC8700MA	Mounting Assembly for 2008-12 Freightliner Coronado, Set of 2
PS-3266081	H13 to H4 Wiring Adapter, Each
JW-3156351**	Optional Mounting Assembly for Model 8700, Each

^{*} Includes 2 Headlamps, 2 Mounting Assemblies & 2 Wiring Adapters

Product Specifications


Raw Output: 3015 (High) Lumens, 2250 (Low) 1320 (High) Lumens, 975 (Low) Effective Output: Available in 12-24V configuration Input Voltage: Current Draw: 5.35 (High), 4.30 (Low) Amps @ 12V DC 2.50 (High), 2.10 (Low) Amps @ 24V DC

Lens Material: Mounting: Connector:

Retrofits H6054 sealed beam headlamps 2 Year Limited Warranty Warranty:

DOT & SAE Compliant, FMVSS 108, Standards: CMVSS 108, Sealed to IP67

Beam Patterns:



Part #	Description
JW-0554471	Model 8900 Evo2 5"x7" LED Headlamp with Chrome Bezel, Each
JW-0554491	Model 8900 Evo2 5"x7" LED Headlamp with Black Bezel, Each
JW-0554461	Model 8910 Evo2 5"x7" LED Headlamp Chrome Bezel Heated, Eac
JW-0554481	Model 8910 Evo2 5"x7" LED Headlamp Black Bezel Heated, Each

^{**}Required for installation into some Harley Davidson motorcycles

The NEW Model 9800 HS snowplow headlight from J.W.

Speaker uses upgraded SmartHeat[™] technology to automatically

keep headlights free of snow and ice, even while traveling at high

PHILIPS

LED Heated


Model 8800 Evolution 2

4" x 6" Heated and Non-Heated Lens LED Headlamps










Product Specifications

2250 (high) & 2830 (low) Lumens Raw Output: 898 (high), 782 (low) Lumens Effective Output: Available in 12V DC configuration Input Voltage: Current Draw: 2.10A @ 12V DC Hardcoated Polycarbonate Lens Material: Mounting: Low-Profile Panel Mount 5 Year Limited Warranty Warranty:

DOT & SAE Compliant, FMVSS 108, CMVSS 108, Sealed to IP67, Transport Canada Compliant

Beam Patterns:

Standards:




Part #	Description
JW-0551771	Model 8800 Evo 2 - 4"x6" LED HL with Heated Lens, Low Beam, Chrome, Each
JW-0551781	Model 8800 Evo 2 - 4"x6" LED HL with Heated Lens, High Beam, Chrome, Each
JW-0552651	Model 8800 Evo 2 - 4"x6" LED HL with Heated Lens, Low Beam, Black, Each
JW-0552671	Model 8800 Evo 2 - 4"x6" LED HL with Heated Lens, High Beam, Black, Each
JW-0551371	Model 8800 Evo 2 - 4"x6" LED Headlamp, Low Beam, Non-Heated, Chrome, Each
JW-0551381	Model 8800 Evo 2 - 4"x6" LED Headlamp, High Beam, Non-Heated, Chrome, Each
JW-0552551	Model 8800 Evo 2 - 4"x6" LED Headlamp, Low Beam, Non-Heated, Black, Each
JW-0552571	Model 8800 Evo 2 - 4"x6" LED Headlamp, High Beam, Non-Heated, Black, Each
JW-0550433	Model 8801 Evolution, Pedestal Mount, High Beam, Set of 2



Model 9800 HS

Heated & Non-Heated Lens LED Snowplow Headlamps








Model 8630/8631 Evolution

5.75" Round LED Headlamp











Mounting Assembly

speeds. The 9800 HS provides clear headlights so drivers can see the road ahead with less stress and eye strain. Bright, white LEDs cut through darkness, fog and severe weather all year round, making plows more noticeable to other drivers. **Advanced SmartHeat for High Speeds** The upgraded lens and SmartHeat system from the standard

9800 is designed to withstand the brutal conditions of high speed plowing. The added heating elements and edge-to-edge lens design helps prevent ice bridging on the lens when plowing at high speeds. Upgrade to the Model 9800 HS!

Product Specifications

Raw Output: 2,880 Lumens (High) / 2,160 (Low) 1,150 (High) / 800 (Low) Effective Output:

Input Voltage: 12V DC 2.70 Amps @ 12V DC (Low Beam) Current Draw:

3.40 Amps @ 12V DC (High Beam) Lens Material: Polycarbonate

Mounting: Universal pedestal mount Connector: Delphi 6 Pin Metri-Pack 120 (#12052848)

2 Year Limited Warranty Warranty: Sealed to IP69K, SAE J1455, SAE J1113 Standards:

Part #

JW-0550061 Model 9800 Universal LED Headlamp Kit, 12/24V Model 9800 Universal LED Headlamp Kit w/ Heated Lens 12V Model 9800 High Speed LED Heated Headlight Kit, 12-24V

Product Specifications

Raw Output: 2,025 (Low Beam), 2,925 (High Beam) 630 (Low Beam), 1,000 (High Beam) Effective Output: Available in 12-24V configuration Input Voltage:


2.20 (Low Beam), 3.50 (High Beam) @ 12V DC Current Draw: 1.10 (Low Beam), 1.70 (High Beam) @ 24V DC Lens Material: Polycarbonate

Retrofits H5006 sealed beam headlamps

Mounting: Connector: Delphi 6 Pin Metri-Pack 120 (#12052848) 5 Year Limited Warranty Warrantv:

DOT & SAE Compliant, FMVSS108, Standards: CMVSS108, Sealed to IP67

Beam Patterns:



Part #	Description
JW-0550921	Model 8630 Evolution 5.75" High/Low Beam LED Headlamp, Each
JW-0549911	Model 8630 Evolution 5.75" High/Low Beam with Halo Ring DRL
JW-0551631	Model 8631 Evolution 5.75" High/Low Beam with White/Amber Halo Ring, Each
JW-3157751	Double Ring Mounting Assembly, Each

*May not fit some applications. A mounting kit is typically required.

Displays

In-Bumper LED Lamps



Motorcycle **Headlamps**




The Model 95 LED lights for trucks are an "in-bumper" application designed to replace the halogen 90mm lights found in the bumpers of buses, trucks, and motor coaches.



Model 95 90 mm LED Headlights & Fog Lights







- Easy plug & play installation, with minimal downtime
- Low maintenance, using 75-80% less power than the stock halogen lights!
- Bright and reliable, leveraging our solid optics
- Resist shock and vibration to extend the life of your
- Legal for on-road use, sealed to IP69K, and made in the U.S.A.

Each Model 95 features a heavy-duty housing, UV-resistant lens, and the latest in solid-state optics. They are designed to be drop-in LED lights for truck replacements of the in-bumper halogen lights used in heavy-duty trucks like Peterbilt 579/587 and Kenworth T660 models.


These lights leverage J.W. Speaker's solid optics technology to deliver precise engineered beam patterns that are not only street-legal, they're also more intense than stock lights to augment the headlight beam patterns. Say hello to brighter roads ahead with the Model 95 in-bumper LED fog and high beam light kits from J.W. Speaker!

Product Specifications

Raw Output: 1435 Lumen Effective Output: 607 Lumen Input Voltage: 12-24V DC 1.25A @ 12V DC Current Draw: 0.7A @ 24V DC Lens Material: Polycarbonate Mounting:

Packard (#12162000) Connector: Warranty: 5 Year Limited Warranty Standards: SAE/DOT, ECE Reg 19 Sealed IP69K, SAE J583

Beam Patterns:



JW-0553713 12-24V SAE/DOT/ECE LED Driving Beam - 2 Light Kit 12-24V SAE/ECE RHT & LHT LED Harmonized Fog Light - 2 Light Kit

LED Motorcycle headlights:

The NEW Adaptive 2 Series headlights have been improved to feature Adaptive technology when using the high beam, in addition to the low beam. Providing ditchto-ditch lighting to eliminate dark corners on sharp turns and a punch of light 1,500 feet down the road to give you a safer and more confident ride to master the corners.

Model 8790 Adaptive 2

7" Adaptive LED Headlamps



JW-0555011 7" Round High/Low Beam Adaptive LED Headlight with Black Inner Bezel JW-0555031 7" Round High/Low Beam Adaptive LED Headlight with Chrome Inner Bezel
JW-0555091 5.75" Round High/Low Beam Adaptive LED Headlight with Black Inner Bezel
JW-0555101 5.75" Round High/Low Beam Adaptive LED Headlight with Chrome Inner Bezel

Model 6045

4.5" (PAR36) LED Fog Lamp



JW-0545731 Model 6045 LED Fog Lamp with Black Bezel, Each Model 6045 LED Fog Lamp with Chrome Bezel, Each

- Improved to feature adaptive technology with the high beam, in addition to the low beam
- On-board intelligence senses leaning angles when cornering to control light
- Dynamically fills in dark areas while turning
- Breakthrough improvement in visibility and safety
- Plug & play solution for 5.75" as well as 7" round (also known as PAR56) motorcycle headlight buckets
- SAE/DOT compliant headlight
- Dual Burn™ high & low beam optics for extra punch of light









Fitment:

Use our Motorcycle Garage to enter the Make, Model & Year of your motorcycle and find the headlight and mounting hardware that works with your bike. www.jwspeaker.com/ymm/

Refer to our Motorcycle Headlight Fitment Guide to see if your bike needs a Mounting Ring Kit, available for fairing mounts on older model bikes.

www.jwspeaker.com/resources/motorcycle-headlightfitment-guide/

The TS3001 series offers LED lights designed for rugged, off-roading. Features impact-resistant Xenoy housing and state-of-the-art LEDs that are resistant to shock and vibration, the TS3001 is perfect for 4x4 and off-road enthusiasts! Improved mounting design simplifies installation and provides added flexibility to mounting the TS3001V LED lights for Jeep a-pillars, front bumpers, and rooftop brackets.

Model TS3001V

7"x5" Oval LED Auxiliary Driving Lamp





- Premium performance high-output LEDs
- · Compact and lightweight design
- New mounting simplifies installation and provides greater mounting flexibility
- Increased light output provides premium off-road performance
- Includes black lens cover
- Also available with round shape (TS3001R)

Model TS3001R

6" Round LED Auxiliary Driving Lamp





Product Specifications Beam Patterns: Applications: Driving Beam (.75m high at 0°) Agriculture Light Output: 55.000 Candela 10+ Lux Input Voltage: Available in 12-24V configuration Power Sports Current Draw: 1.15 Amps @ 12V DC (Standard) Specialty Vehicles 1 Lux 0.60 Amps @ 24V DC (Standard) • Truck & Bus 2.15A @ 12V DC (Jeep) 1.00A @ 24V DC (Jeep) Lens Material: Mounting: Bracket 2-Pin Deutsch Weather-Proof Plug Connector: Warranty: 5 Year Limited Warranty TS3001R - Round LED Driving Lamp, Driving Beam, Set of 2 SAE (Y) J581 & DOT Compliant, Sealed to IP67 Clear Polycarbonate Cover for TS3001R Driving Lamp, Each Clear Polycarbonate Cover for TS3001V Driving Lamp, Each Amber Polycarbonate Filter for TS3001V Driving Lamp, Each TS3001V - Cover

New 4x4 LED Off-Road Lighting Products From J.W. Speaker

J.W. Speaker is proud to announce the release of several new, 4×4 LED off-road lighting products designed for Jeep enthusiasts. We have added a new versions of our 7" round headlight, 4" round fog lights, an all-new tail light, and redesigned auxiliary lights. Please contact Pacesetter Products for more information.



Model 8700 Evolution J2 LED Jeep Headlamps,

Model 8700 Evolution J2 LED Jeep Headlamps, Chrome, Set of 2

Model 6145 J2-Series LED In-Bumper Mount

Signals with Amber Lens - 2 Light Kit Model 239 J2 12V DOT/ECE LED Round Turn

Model 239 J2 12V DOT/ECE LED Round Turn Signals with Smoked Lens - 2 Light Kit

JW-0554573 Model 6145 J2-Series LED In-Bumper Mount Fog Lamp, Black, Pair

Fog Lamp, Carbon Fiber, Pair

JW-0346483 Model 239 J2 12V DOT/ECE LED Round Turn

Signals with Clear Lens - 2 Light Kit

JW-0553623 Model 8700 2R LED High & Low Beam Headlight with Black Inner Bezel - 2 Light Kit Model 8700 2R LED High & Low Beam Headlight with Chrome Inner Bezel - 2 Light Kit

JW-0347531 Model 279 J Series Jeep Tail Light Kit (DOT Compliant)

Black, Set of 2



The Model 8700 Evolution J2 Series is intended for use on 2007+ Jeep Wranglers & Jeep Wrangler Unlimited.





Depending on your 2017 Jeep Model, you may need mounting rings to install Model 8700 Evolution J2 LED headlight upgrades. Refer to the table below:



Mounting Ring Kit for 2017 Jeeps with 7" Round Headlights

Jeep Model	Type of Standard Lights	J.W. Speaker Mounting Ring Kit Required for LED Upgrades
Chief	LED	Yes
Rubicon	LED	Yes
Rubicon Hard Rock	LED	Yes
Rubicon Recon	LED	Yes
Sahara	LED	Yes
Smoky Mountain	LED	Yes
Winter	LED	Yes
75th Anniversary Edition	LED or Halogen	Yes (No, if equipped with halogen)
Big Bear	Halogen	No
Freedom Edition	Halogen	No
Sport	Halogen	No
Sport S	Halogen	No
Willys Wheeler	Halogen	No

Model 6145 J2 LED Jeep Fog Lamps





Model 279 J LED Tail Lights





Model 239 J2 LED Turn Signals









Model 8700 Evolution 2R

Jeep Renegade LED Headlamp





LED Safety Lamps

LED Work Lamps



Model 770 BLU

Forklift Safety Lamp







Model 680 XD 5.75" Round LED Work Lamp

PHILIPS



Specifically designed for the material handling industry, the Model 770 BLU represents a new way of thinking about visual safety

Traditional visual warning devices (i.e. strobes) are most effective when a pedestrian is able to see the fork lift coming. If they are not paying close attention or there is a blind corner present, the traditional visual warning device really doesn't contribute much to preventing an accident.

The Model 770 BLU doesn't rely on pedestrians being able to see the fork lift. Instead, it projects a bright, highly concentrated beam pattern on the ground in the direction that the fork lift is moving. Speaker uses blue because studies have shown that it is one of the most noticeable colours to the human eye.

Features & Benefits

- Impact- and corrosion-resistant polycarbonate lens & housing
- Extremely low current draw
- Universal mounting bracket makes installation simple
- 12-48V DC multi-voltage configuration
- Long-lasting LEDs are extremely resistant to shock & vibration
- Sealed to IP67 to keep out dust & water
- Low profile allows for mounting in tight spaces
- 770 BLU emits a blue spot
- Blue light is most noticeable to the human eve
- 5 Year Limited Warranty

Part #	Description
JW-1706311	Model 770 BLU LED Visual Warning Device, Blue Spot, Each


Product Specifications

Raw Output: 1,700 Lumens Effective Output: 1,060 Effective Lumens 12-24V DC Input Voltage: Current Draw: 2.00 Amps @ 12V DC 1.00 Amps @ 24V DC Lens Material: Polycarbonate Mounting: Universal pedestal mount

Connector 2-Pin Weather-Proof Deutsch Socket/Plug

5 Year Limited Warranty Warranty:

Sealed to IP69K, SAE J1455, SAE J1113 Standards:



Part #	Description
JW-1501641	Model 680 XD LED Work Lamp, Flood Pattern, Each
JW-1501651	Model 680 XD LED Work Lamp, Trap Pattern, Each
JW-1501661	Model 680 XD LED Work Lamp, Spot Pattern, Each

Model 770 XD 3" x 5" LED Work Lamp



Model 880 XD

3" x 5" Horizontal LED Work Lamp



Model 840 XD 4" x 4" LED Work Lamp



Product Specifications

Raw Output: 810 Lumens Effective Output: 690 Lumens Input Voltage: 12V DC Current Draw: 1.00 Amp @ 12V DC Lens Material: Polycarbonate Mounting: Universal Mount Warranty: 5 Year Limited Warranty


Standards Sealed to IP67, EN55022, EN12895

Beam Patterns:

Part #

JW-1706041

.IW-1706051



Product Specifications


Raw Output: 1,680 Lumens Effective Output: 900 Effective Lumens Input Voltage: 12-24V DC

1.00 Amps @ 12V DC / 0.48 Amps @ 24V DC Current Draw: Lens Material: Polycarbonate

Universal pedestal mount Mounting:

Connector: 2-Pin Weather-Proof Deutsch Socket/Plug Warranty: 5 Year Limited Warranty


Standards: Sealed to IP67 Beam Patterns:



	2000.15.00.	
JW-1603261	Model 880 XD LED Work Lamp, Flood Pattern, Each	
JW-1603251	Model 880 XD LED Work Lamp, Trap Pattern, Each	
JW-1603241	Model 880 XD LED Work Lamp, Spot Pattern, Each	

Product Specifications

Raw Output: 1.080 Lumens 780 Effective Lumens Effective Output: 12-24V DC Input Voltage: 1.30 Amps @ 12V DC / 0.60 Amps @ 24V DC Current Draw: Lens Material: Polycarbonate Mounting: Universal pedestal mount Connector: 2-Pin Weather-Proof Deutsch Socket/Plug Warranty: 5 Year Limited Warranty Sealed to IP69K, SAE J1455, SAE J1113 Standards: Beam Patterns:



Part #	Description
JW-1300001	Model 840 XD LED Work Lamp, Flood Pattern, Each
JW-1300011	Model 840 XD LED Work Lamp, Trap Pattern, Each
JW-1300021	Model 840 XD LED Work Lamp, Spot Pattern, Each

LED Work Lamps

Model 735

3" x 5" LED Work Lamp




Model 4415 3" LED Work Lamp





Side View Mirror





Product Specifications

Raw Output: 2,700 Lumens Effective Output: 1,400 Lumens 12-24V Input Voltage: 3.50 Amps @ 12V DC Current Draw: 1.75 Amps @ 24V DC Lens Material: Polycarbonate Mounting: Universal Mount Warranty: 5 Year Limited Warranty Standards: Sealed to IP67

Beam Patterns:


10+ Lux		
Flood Beam (2.5m high at -15°)	Trapezoid Beam (2.5m high at -15")	Spot Beam (2.5m high at -5")
23m	15m	30m
Om	0m	0m
23m 45m	30m	60m
50m 100m	25m 50m 75m	50m 100m 150m

Part #	Description
JW-1706781	Model 735 LED Work Lamp, Flood Pattern, Each
JW-1706811	Model 735 LED Work Lamp, Trap Pattern, Each
JW-1706821	Model 735 LED Work Lamp, Spot Pattern, Each

Product Specifications

Raw Output: 2,450 Lumens Effective Output: 1,350 Lumens 12-24V DC Input Voltage: 2.2 Amps @ 12V DC Current Draw: 1.1 Amps @ 24V DC Lens Material: Polycarbonate Mounting: Bracket and swivel Connector: Packard #12059183 5 Year Limited Warranty Warranty: Sealed to IP67 Standards:

Beam Patterns:



Part #	Description	
JW-0549841	Model 4415 LED Work Lamp, Trap Pattern, Each	
JW-0551753	Model 4415 LED Work Lamp Kit w/ side view mirror mount (2 lights)	
JW-0552841	Model 4416 LED Handheld Work Light, Each	

Model 4416 LED Handheld

Model 832 4" x 4" LED Work Lamp




Model 7150 5" x 7" LED Work Lamp



Product Specifications

Raw Output: 2,400 Lumens Effective Output: 1,425 Lumens 12-24V DC Input Voltage: Current Draw: 2.90 Amps @ 12V DC 1.36 Amps @ 24V DC Lens Material: Polycarbonate Universal Mount Mounting: Warranty: 5 Year Limited Warranty Standards:

Beam Patterns:




Part #	Description
JW-1300181	Model 832 LED Work Lamp, Flood Pattern, Each
JW-1300171	Model 832 LED Work Lamp, Trap Pattern, Each
JW-1300161	Model 832 LED Work Lamp, Spot Pattern, Each

Product Specifications

Raw Output: 4,500 Lumens 3,000 Lumens Effective Output: Input Voltage: 12-24V DC Current Draw: 6.00 Amps @ 12V DC 3.00 Amps @ 24V DC Lens Material: Polycarbonate Universal Mount Mounting: 5 Year Limited Warranty Warranty: Sealed to IP67 Standards:

Beam Patterns:



Part #	Description	
JW-1801001	Model 7150 LED Work Lamp, Flood Pattern, Each	
JW-1800991	Model 7150 LED Work Lamp, Trap Pattern, Each	
JW-1801151	Model 7150 LED Work Lamp, Spot Pattern, Each	



Featured Products

Warranty



Warranty Information



PHILIPS

Displays

PHILIPS

Information

HEADLIGHT CONDENSATION

Condensation is a naturally occurring condition that can affect any light. It does not suggest a defect in a product, as opposed to what happens when a leak occurs, in which case there is water ingress that could lead to a system failure. The explanation contained herein is intended to help end users differentiate between these two conditions so they understand what, if anything, needs to be done.



Condensation is the change of water from a gaseous form (vapor) into liquid water. It appears as small droplets of moisture inside the light.



Water Vapor

Small Water Droplets

Condensation does not cause a problem with normal operation of the light and is, therefore, NOT considered to be a defect or warrantable condition.

In fact, J.W. Speaker lamps are designed to allow moisture to escape and not reenter, but it takes time for the moisture to evaporate (the amount of time will depend upon whether or not the light is turned on or not).

Water Ingress

Water ingress describes water that leaks into the light, manifesting itself as large droplets and pooling of water that is clearly visible





Large Droplets & Pooled Water

Sources of water ingress can vary. If a light suffers water ingress as the result of physical abuse and/ or misuse, it would not constitute a manufacturing defect.

Otherwise, water ingress caused by a defect in workmanship is a warrantable item. In this event, please contact the dealer who supplied the product to schedule a return.

Virtually all lights are prone to condensate due to the following events:

- Air is trapped inside a lamp when manufactured
- Plastic parts used in lights naturally absorb moisture in the air
- As the light heats up these plastics parts release moisture that mixes with air
- Moisture attaches itself to the coolest part of the lamp, e.g. the lens
- Halogen lamps tend to run hot so the moisture evaporates more quickly
- LED lights produce less heat so moisture takes longer to evaporate, so it can be more noticeable

J.W. SPEAKER AFTERMARKET LED PRODUCT WARRANTY

If you have issues with a J.W. Speaker product, please troubleshoot your light before contacting the authorized dealer where your purchased your light.

Basic troubleshooting can be done by switching components from side-to-side to isolate the problem, individually such as just the bulbs, then just the ballasts, etc.

If you are the original purchaser and after you have confirmed the defective Speaker Part, please review the Pacesetter Warranty Instructions inside the back cover of this catalogue or visit http://www.pacesetterproducts. ca/warranty/ on how to submit a warranty claim. Please sure to carefully follow the instructions for contacting the Pacesetter Warranty department. Do not contact J.W.Speaker as they will not process claims directly with the end user. Pacesetter handles all warranty claims on behalf of J.W. Speaker for all of Canada, on all products purchased from Pacesetter. Please ensure you have your proof of sale. Warranty is non-transferrable and valid only to the original purchaser.

WARRANTY SCOPE AND TERMS

J.W. Speaker Corporation provides warranty coverage for its products against defects in materials, components and workmanship. There is no express or implied coverage for any other costs, such as labor costs, travel, incidentals and collateral damage. This warranty applies to the original purchaser only and is not transferrable. Coverage extends only to replacing a defective part. Exceptions and exclusions are referenced in Sections 2.0 and 3.0.

All LED products sold by J.W. Speaker provide a five (5) year limited warranty, with exceptions and exclusions summarized below.

LED PRODUCT EXCEPTIONS

The following exceptions apply to J.W. Speaker standard warranty:

- All Heated Lights*: Two (2) years, excluding the Model 8800 (Five years) & Model 8770.
- Model 255 LED Vehicle Identification Signs: One (1) year
- Model 8770 Locomotive Lamps: Four (4) years or 30,000 hours
- Model 8800 LED 4×6 Headlight: Five (5) years Visit www.jwspeaker.com/warranty-model-8800 for details

WARRANTY EXCLUSIONS

J.W. Speaker's Warranty Policy does not allow for claims resulting from the following conditions:

- Abuse, neglect and damage
- Modifications and alterations
- Improper installation
- Chemical exposure (e.g. cleaning solutions)
- Voltage spikes, transients and over-voltage beyond rated specifications
- Naturally occurring phenomena such as condensation, corrosion and UV degradation
- Wear and tear, including damage from road debris and resultant lens

Visit www.jwspeaker.com/warranty-exclusions for more details.

WARRANTY CLAIM PROCESS

This Warranty Policy applies ONLY to the customers who purchased products directly from J.W. Speaker. Claims from end customers must be routed to the source where purchased, and processed with them to obtain a Returned Materials Authorization (RMA). For more information on how to process a claim, visit www.jwspeaker.com/rma



Any Speaker product not found in this catalogue is available from Pacesetter by special order.

Check out http://www.jwspeaker. com/ for J.W. Speaker's complete lineup of aftermarket lights and accessories.

Contact us today for pricing and availability.

sales@pacesetterproducts.ca Tel: 1-888-367-9537 ext. 1

^{*}Excluding the Model 8800 and Model 8770.



RDS-Series PRO	33
E-Series PRO	34
SR-Series PRO	36
D-Series PRO	38
SAE Compliant Lamps	40

RI Series Flashlights41	
Security Kits41	
Radiance Plus & POD42	
Why RIGID43	

RDS-Series PRO



PROFESSIONAL RACE OUTPUT

RDS-SERIES® PRO

By taking an E-Series light bar and treating it to a gentle arc, the patented RDS-Series PRO provides a sleek, integrated look with the curved windshields and bumpers on today's trucks and SUVs. The curve is for more than just looks, it is also functional: the arc of the RDS-Series PRO light bars provides a wider spread of LED light, providing unmatched lighting coverage with a single light bar.



11" COVERS

AIGIO	

Black RGD-105523



RGD-105533



Amber RGD-105543

Rlue



RGD-105563



Smoke RGD-105593


BEAM PATTERN




SPECIFICATIONS

	SIZE	BLACK PART NO.	WT (LBS.)	WATTS	AMP DRAW @ 14VDC	LEDs	PRO RAW LUMENS
	20"	RGD-882213	6.31	234	16.72	40	25080
	30"	RGD-883213	8.99	277	19.8	60	43560
POT	40"	RGD-884213	12.40	314	22.44	80	35640
	50"	RGD-885213	14.26	393	28.05	100	44550
	54"	RGD-886213	16.07	453	32.34	108	48114

DIMENSIONS





DS-SERIES PRO	A	В	C	D	E*	F
DS-Series PRO 20"	3.87	4.06	22.68	22	24.06	1.25
DS-Series PRO 30"	3.87	4.68	32.68	32	34.06	1.25
DS-Series PRO 40"	3.87	5.68	42.62	41.93	44.06	1.25
DS-Series PRO 50"	3.87	6.84	52.5	51.75	53.87	1.25
DS-Series PRO 54"	3.87	7.37	56.25	55.68	57.75	1.25
or reference only Assemble brack	ets and mark e	vart hale laration	for hest mounting	п		




Displays

PROFESSIONAL RACE OUTPUT

E-SERIES® PRO

The E-Series PRO is one of RIGID's most versatile, allaround lighting solutions, and recent enhancements in LED technology mean greater light output than ever before with the E-Series PRO. Among RIGID's most popular product lines, the E-Series PRO has recently benefited from several upgrades to improve both looks and performance. The E-Series PRO was born in off-road, but its versatility makes it well suited for use with power sports, marine, general automotive and even first responder applications.



SPECIFICATIONS

A - LUX AT 10 METERS B - DISTANCE (m) WITH 1 LUX C - DISTANCE (m) WITH ,25 LUX

	SIZE	BLACK PART NO.	WT (LBS.)	WATTS	AMP DRAW @14VDC	LEDs	PRO RAW LUMENS	Α	В	С	**PEAK BEAM INTENSITY(cd)
	6"	RGD-106313	2.84	82	5.86	12	9504	829	288	576	82863
	10"	RGD-110313	4.12	165	11.79	20	15840	2003	448	895	200267
	20"	RGD-120313	6.1	214	15	40	25080	3898	624	1249	389784
SPOT/FLOOD	28"	RGD-128313	7.5	243	17	56	30520	4219	650	1299	421893
COMBO	30"	RGD-130313	8.78	311	22	60	32700	4746	689	1378	474648
	38"	RGD-138313	9.65	360	26	76	33896	4929	702	1404	492876
	40"	RGD-140313	10.84	299	21	80	35680	5134	716	1433	513412
	50"	RGD-150313	13.84	377	27	100	44600	6308	794	1589	630822
	10"	RGD-178313	4.12	174	12.43	24	19008	2285	478	956	228502
	20"	RGD-122313	6.1	319	23	44	34848	5480	740	1481	548042
	28"	RGD-127313	7.5	355	25	64	34880	5758	759	1518	575786
SPOT/DRIVING COMBO	30"	RGD-132313	8.78	470	34	68	37060	5932	770	1540	593163
COMPO	38"	RGD-137313	9.65	365	26	88	39248	6808	825	1650	680841
	40"	RGD-142313	10.84	370	30	92	41032	7127	844	1688	712687
	50"	RGD-152313	13.84	448	32	112	49952	7537	868	1736	753666

10" COVERS










SPOT/FLOOD COMBO

SPOT/DRIVING COMBO








DIMENSIONS

OPTICS SHOWN



SPOT/FLOOD COMBO





Displays

SR-SERIES® PRO

The SR-Series PRO LED Light Bars provide a sleek, low profile lighting solution that measures less than 2" tall. Thanks to improved LED technology, the SR-Series PRO now offers more light output than ever before. As the name implies, the SR-Series PRO utilizes a single row of LEDs with your choice of optics in a variety of beam patterns. Ideal for applications where space is limited, the SR-Series PRO is a powerful light source designed to project light at extreme distances while consuming very little power.

SPOT/FLOOD COMBO









OPTICS SHOWN

SPECIFICATIONS

A - LUX AT 10 METERS B - DISTANCE (m) WITH 1 LUX C - DISTANCE (m) WITH ,25 LUX

	SIZE	NO.	(LBS.)	WATTS	@14VDC	LEDs	RAW LUMENS	Α	В	C	INTENSITY(cd)
	10"	RGD-910313	1.72	60	4.29	10	7920	1123	335	670	112340
	20"	RGD-920314	3.62	119	8.5	20	15840	1989	446	892	198854
SPOT/FLOOD	30"	RGD-930314	5.42	160	11.42	30	18810	2968	545	1090	296841
COMBO	40"	RGD-940314	7.04	259	18.5	40	25080	3772	614	1228	377168
	50"	RGD-950314	8.55	290	21	50	31350	4347	659	1319	434698
	10"	RGD-911313	1.72	50	3.57	12	9504	904	300	301	90475
	20"	RGD-921314	3.62	132	9.42	22	17424	3053	553	892	305299
SPOT/DRIVING COMBO	30"	RGD-931314	5.42	205	14.64	34	21318	3802	617	1233	380181
	40"	RGD-941314	7.04	303	21.64	46	28842	4653	682	1364	465325
	50"	RGD-951314	8.55	334	23.85	56	35112	5881	767	1534	588120

10" Covers



Black RGD-105943



Clear RGD-105983





AIGIP

Red RGD-106003

AlGID	Smoke
***************************************	RGD-106013

SPOT/DRIVING COMBO










Driving	Spot	Driving	1
OPTICS SHOWN			

DIMENSIONS



SR-Series PRO 10"	1.75	3	13	11.5	13	1.125	
SR-Series PRO 20"	1.75	3	23	21.5	23	1.125	
SR-Series PRO 30"	1.75	3	33	31.5	33	1.125	
SR-Series PRO 40"	1.75	3	43	41.5	43	1.125	
SR-Series PRO 50"	1.75	3	53	51.5	53	1.125	

BEAM PATTERNS



SPOT/DRIVING



Displays

D-SERIES® PRO

The D-Series PRO has always been the most versatile compact lighting package on the market today. RIGID has just made it professional grade with the D-Series PRO, which offers more light output than ever before thanks to recent advancements in LED technology. Available with a variety of mounting options, including surface, flush, or heavy-duty, the D-Series PRO can be utilized for virtually any lighting application. Measuring just 3" x 3", the D-Series PRO packs a powerful punch up to 4,752 lumens depending on the optics chosen.





FLOOD DIFFUSED



DRIVING DIFFUSED



FLOOD



DRIVING



SPOT



HYPERSPOT



HEAVY DUTY MOUNT



FLUSHMOUNT

SPECIFICATIONS

A - LUX AT 10 METERS B - DISTANCE (m) WITH 1 LUX C - DISTANCE (m) WITH .25 LUX

	MOUNT	BLACK PAIR PART NO.	WT (LBS.)	WATTS	AMP DRAW @14VDC	LEDs	PRO RAW LUMENS	Α	В	C	**PEAK BEAM INTENSITY(cd)
FLOOD DIFFUSED	SM	RGD-202513	1.1	30	2.14	4	3168	20	45	90	2060
DRIVING DIFFUSED	SM	RGD-502513	1.1	44	3.14	6	4752	29	53	107	2909
FLOOD	SM	RGD-202113	1.1	30	2.14	4	3168	58	76	152	5819
DRIVING	SM	RGD-502313	1.1	44	3.14	6	4752	231	152	304	23148
SPOT	SM	RGD-202213	1.1	30	2.14	4	3168	721	268	537	72197
HYPERSPOT	SM	RGD-504713	1.15	30	2.14	4	1760	794	281	563	79456

D-SERIES PRO COVERS





RGD-201923





Amber RGD-201933

Smoke RGD-201983

DIMENSIONS

SURFACE MOUNT








NOTE: The D-Series PRO lights are also available in flush mount and heavy duty mount versions. Any D-Series PRO product not shown on this page can be special ordered. Please contact your Pacesetter Sales Rep for more information on pricing and availability.

BEAM PATTERNS





SAE COMPLIANT

RIGID's auxiliary lighting has been helping off-roaders own the night for over 10 years, but RIGID light bars could only be legally used in the dirt...until now. RIGID has released a complete line of lighting that are safe and legal for use both on and off the pavement. RIGID's new SAE Series offers powerful long-range coverage with the color temperature of daylight for superior clarity in a variety of conditions. In addition to providing powerful street-legal lighting solutions, the new 20" SAE SR-Series light bar features a backlit RIGID branding plate. This secondary lighting can be controlled independently or in tandem with the main forward-facing LEDs, offering a custom look to any vehicle.



SR-M PRO



FOG LIGHT D-SERIES PRO



D-XL PRO



FOG LIGHT 6" SR-SERIES PRO



DRIVING AUXILARY HIGH BEAM 6" E-SERIES PRO



DRIVING AUXILARY HIGH BEAM Q-SERIES PRO





SPECIFICATIONS

B - DISTANCE (m) WITH 1 LUX C - DISTANCE (m) WITH .25 LUX

									,	,	
	SERIES / SIZE	BLACK PAIR PART NO.	WT (LBS.)	WATTS	AMP DRAW @14VDC	LEDs	PRO RAW LUMENS	Α	В	C	**PEAK BEAM INTENSITY(cd)
FOG LIGHT	SR-M	RGD-902533	0.588	15	1.1	2	1179	69	83	116	6662
	D-SERIES	RGD-504813	1.10	22	1.5	4	1760	106	103	206	10570
	D-XL	RGD-321513	1.81	19	1.4	6	2315	116	108	215	11548
	SR-SERIES (6")	RGD-906703	1.78	21	1.5	6	2640	130	114	228	13030
DRIVING AUXILARY	Q-SERIES	RGD-244813	2.8	140	10	16	8253	579	241	481	46486
HIGH BEAM	E-SERIES (6")	RGD-106613	2.35	41	2.85	12	5280	492	222	444	49230

*NOTE: The SR-M. D-XL. SR-Series and O-Series are available by special order only.

RI-Series Flashlights

Quite possibly the last flashlight you will ever need to buy. The Rigid Industries RI-Series™ is a full line of flashlights that offer high-output LED technology in a compact package. Inspired by tactical flashlights developed for military and law enforcement, the RI-Series couples cutting edge LEDs with a machined aluminum reflector to create a rugged, powerful light source. With a military-grade hard anodized aluminum housing, waterproof construction, rechargeable battery, and many more features, the RI-Series can withstand the elements and provide years of trouble-free operation. Backed by a limited lifetime warranty.

- · High, Medium, Low, and Strobe Modes
- · Limited Lifetime Warranty
- · High Intensity Spot Reflector Design
- · Thermally Regulated LED Circuit
- · Tested For Shock/Drop, Water Ingress, Vibration, Sun and Salt Exposure



RI-1500





RGD-30140

RGD-30130

SPECIFICATIONS

RI-SERIES			
THE PARTY OF THE P	1001	STRIEG CON	

Order the POP display and save even more. 15 flashlights for the price of 14.

Part# RGD-30127

SPECIFIC	CATIONS							
	PART NO.	MODE	*RAW LUMENS	EFFECTIVE LUMENS	BATTERY RUN TIME	LUX @ 10mV	BEAM DISTANCE (m) w/1 LUX	**PEAK BEAM INTENSITY (cd)
	DOD 00100	HIGH	680	620	1.8 hrs	69	165	6945
RI-600	RGD-30130 (Cool White)	MED	250	210	6.5 hrs	27	104	2710
	(Cool Wille)	LOW	80	60	24 hrs	7	51	669
	DOD 00140	HIGH	820	768	1.6 hrs	231	304	23174
RI-800	RGD-30140 (Cool White)	MED	300	273	5.5 hrs	95	195	9560
	(Cool Wille)	LOW	100	81	18 hrs	27	105	2740
	DOD 001E0	HIGH	1100	960	2.1 hrs	253	318	25340
RI-1100	RGD-30150 (Cool White)	MED	300	273	9 hrs	95	195	9560
	(Gool Wille)	LOW	100	81	26 hrs	27	105	2740
	DOD 00150	HIGH	1500	1340	1.2 hrs	602	490	60202
RI-1500	RGD-30160 (Cool White)	MED	475	412	3.7 hrs	224	299	22476
	(Cool Wille)	Iow	150	104	16.5 hrs	51	146	5167

Note: RI-1100 and RI-1500 and color LED RI-600's are available by special order only.

SECURITY NUT KITS

RIGID's security kits make a potential thief's job more difficult. It protects your lights by adding nuts to the current mounting hardware that need specific tools to tighten or loosen.



RGD-40281 E-SERIES PRO / SR-SERIES PRO / RADIANCE+ SECURITY NUT KIT



RGD-40287 O-SERIES PRO SECURITY KIT



D-SERIES PRO SECURITY KIT



RGD-40289 FLUSH MOUNT SECURITY KIT



RGD-40283 HD D-SERIES PRO SECURITY KIT



RGD-40290 RDS-SERIES PRO / RADIANCE+ CURVED SECURITY KIT

Displays

RADIANCE PLUS & RADIANCE POD

RIGID's Radiance PLUS is the perfect solution for those who want RIGID legendary quality at a level everyone can attain. Radiance is feature-packed, with a black exposed printed circuit board, optimized forward projecting optics and back-lighting available in white, green, blue and red.







White Back Light		RIGID
Green Back Light	A SO DO B B B B B B B B B B B B B B B B B B	PIGID O
Blue Back Light	A (DD DO B B CO CO) AS I	, PIGID
Amber Back Light	(333000000)	FIGIO

SPECIFICATIONS - RADIANCE PLUS LIGHT BARS (HARNESS INCLUDED)

SIZ	WHITE E PART NO.	BLUE PART NO.	RED PART NO.	GREEN PART NO.	AMBER PART NO.	WT. (lbs)		AMP DRAW @ 14 VDC	PRO RAW LUMENS	Α	В	C	**PEAK BEAM INTENSITY(cd)
10	' RGD-210003	RGD-210013	RGD-210023	RGD-210033	RGD-210043	4.12	70	5	4572	835	289	578	83499
20	" RGD-220003	RGD-220013	RGD-220023	RGD-220033	RGD-220043	7.65	92	6.57	7128	1295	359	719	129536
30	" RGD-230003	RGD-230013	RGD-230023	RGD-230033	RGD-230043	10.55	155	11.07	11880	1991	446	892	199108
40	" RGD-240003	RGD-240013	RGD-240023	RGD-240033	RGD-240043	13.61	204	14.57	16632	2595	509	1019	259599
50	" RGD-250003	RGD-250013	RGD-250023	RGD-250023	RGD-250043	16.84	243	17.36	21384	3015	349	1098	301509




SPECIFICATIONS - RADIANCE PODS (HARNESS NOT INCLUDED)

	BLACK PAIR	(LBS.)	WATTS	@ 14V	LEDs	LUMENS	Α	В	C	INTENSITY(cd)
WHITE	RGD-20200	1.5	15	1	3	900	125	112	224	12456
BLUE	RGD-20201	1.5	15	1	3	900	125	112	224	12456
RED	RGD-20202	1.5	15	1	3	900	125	112	224	12456
GREEN	RGD-20203	1.5	15	1	3	900	125	112	224	12456
AMBER	RGD-20204	1.5	15	1	3	900	125	112	224	12456



WHY RIGID?

HOW TO CHOOSE AN OPTIC



RIGID PRO

MORE LIGHT OUTPUT

LIGHT PODS ADDITIONAL OUTPUT COMPARISON CHART (MEASURED IN RAW LUMENS)

WHAT IS RIGID PRO?

RIGID is making major enhancements to its existing catalog with the release of the new high performance PRO (Professional Race Output) product lineup. Most all of RIGID's popular products will now benefit from new superior LED technology which will deliver up to 170% more light output then the previous models. Along with these serious performance upgrades, all of the products will receive enhanced RIGID branding as well as redesigned packaging. Best of all, these new improvements will come without a price increase

D-SERIES LEGACY APPEARANCE NEW D-SERIES PRO APPEARANCE



INDIVIDUAL RESULTS MAY VARY **LIGHT BARS** ADDITIONAL OUTPUT COMPARISON CHART (MEASURED IN RAW LUMENS) -SERIES PRO 20% 40% 60% 80% 100% 120%

orders: orders@pacesetterproducts.ca | fax: 1.877.367.9537

Any Rigid Industries product not found in this catalogue is available by special order. Check out Rigid's latest catalogue for their complete lineup of aftermarket lights and accessories.

Contact us today for pricing and availability. sales@pacesetterproducts.ca Tel: 1.888.367.9537



INDIVIDUAL RESULTS MAY VARY



Bulbs & Sealed Beam Headlamps



High Performance Halogen Bulbs



Part #	Description
PH-9003CVB2	Crystal Vision Ultra 9003/H4, Pair
PH-9004CVB2	Crystal Vision Ultra 9004, Pair
PH-9005CVB2	Crystal Vision Ultra 9005, Pair
PH-9006CVB2	Crystal Vision Ultra 9006, Pair
PH-9007CVB2	Crystal Vision Ultra 9007, Pair
PH-9008CVB2	Crystal Vision Ultra 9008/H13, Pair
PH-9012CVB2	Crystal Vision Ultra 9012, Pair
PH-H1CVB2	Crystal Vision Ultra H1, Pair
PH-H3CVB2	Crystal Vision Ultra H3, Pair
PH-H7CVB2	Crystal Vision Ultra H7, Pair
PH-H11CVB2	Crystal Vision Ultra H11, Pair
PH-9145CVB1	Crystal Vision Ultra H10/9145, Each
PH-CAR880CV	Crystal Vision Ultra 880, Each
PH-CAR893CV	Crystal Vision Ultra 893, Each
PH-CQCV12	Philips Crystal Vision Counter Display



Part #	Description
PH-9003XVB2	X-treme Vision 9003/H4, Pair
PH-9004XVB2	X-treme Vision 9004, Pair
PH-9005XVB2	X-treme Vision 9005, Pair
PH-9006XVB2	X-treme Vision 9006, Pair
PH-9007XVB2	X-treme Vision 9007, Pair
PH-9008XVB2	X-treme Vision 9008/H13, Pair
PH-H7XVB2	X-treme Vision H7, Pair
PH-H11XVB2	X-treme Vision H11, Pair
PH-DISPLAY1	Premium Bulb Display - Free w/ 12 pairs bulbs purchase

Pacesetter Products extends a one-year warranty on all Philips Crystal Vision Ultra and X-treme Vision High Performance Halogen Bulbs.

Crystal Vision Sealed Beams



Part #	Description
PH-H4651CVC1	H4651 Crystal Vision Sealed Beam, Each
PH-H4656CVC1	H4656 Crystal Vision Sealed Beam, Each
PH-H6024CVC1	H6024 Crystal Vision Sealed Beam, Each
PH-H6054CVC1	H6054 Crystal Vision Sealed Beam, Each



Part #	Description
PH-D1SC1	HID D1S Bulb, 4300K, Each

HID Bulbs

PHILIPS

44

High Performance Halogen Bulbs......45

Crystal Vision Sealed Beams45

HID Bulbs45

LED Headlight Bulb Kits.....46

LED Headlight Bulb Kits

PHILIPS

Bulb Kits





Introducing the Philips X-treme Ultinon LED fog and Headlight Bulb Kits now in Canada!

These bright and stylish headlight bulb kits feature the same powerful Lumileds LUXEON LEDs, that Philips uses for their **OEM customers. The new X-treme Ultinon** LED headlights offers 200% brighter light for safer night time driving.

The intense 6500K artic white light bright beam provides uniform light distribution, improved visibility and enhanced contrast. Philips X-treme Ultinon LED headlights last much longer than halogen bulbs, due to features such as AirFlux and AirCool heat management systems.

Philips patented, 'SafeBeam' technology eliminates glare to other drivers by creating the same beam pattern as standard halogen headlights. This technology ensures that the light emitted from the LED lamp is directed onto the road and not into the eyes of oncoming drivers. This design also leaves ample space for the best optical lenses available in order to deliver a smooth, inclusion-free beam with no shadowing effects. These advanced LED bulb kits are designed as an direct replacement for the H4, H7, H11, 9005, 9006, and 9012 halogen bulb applications in the Canadian market.

www.PacesetterProducts.ca | inquiries: sales@pacesetterproducts.ca | tel: 1.888.367.9537







Philips design integrates 1 additional LED on each side of the lamp to increase light output



Features

- Up to 200% brighter light for superior visibility
- · LED's provide crisp white light for superior visibility.
- AirFlux and AirCool cooling technologies means longer lasting bulbs
- · Patented SafeBeam technology ensures light doesn't blind oncoming traffic
- Uniform, accurate beam pattern
- Optimized for projector headlights with 4 LED chips per side.
- Built to the same road safety regulations for halogen headlights.
- · Vibration and shock resistant
- Easy installation is compatible with many models of commercial trucks, light duty trucks, cars and 4x4's.
- Available in H4, H7, H11, 9005, 9006, & 9012 models
- CANbus adapter kits available to eliminate issues with dashboard warnings & LED flickering.





Nbus adapter kits are available.	
ntact Pacesetter for more info.	

X-treme Ultinon LED Headlight H7, Pair





CightFORCE

LED Driving Lamps



Venom LED 150mm (5.9") LED Driving Lamp















Genuine Lightforce 12 Volt 3 Stage Operation Wiring Kit. Harness only to Suit Venom LED and Genesis LED.

Kit includes:

- 1 x Wiring harness
- 1 x HB3 connector
- 1 x H4 connector

• 1 x Instructions

The Australian designed and made Venom LED packs a generous beam of 1 LUX @ 850M into compact housing, perfect for any application. Providing increased audio clarity with the inclusion of CISPR25 compliant reduced radio frequency interference technology, Venom LED assists in getting you to your destination in comfort, with safety always at the forefront.

Product Specifications

Raw Lumen Output: 10-32V DC Input voltage range: Current draw: 5.7A @ 13.2v Lens Dimensions:

170mm (6.7") x 171mm (6.7") Lens Material: Polycarbonate

Housing: Cast Aluminum Weight including bracket: 1.2kg (42oz) Color Temperature: 5000K Warranty: 3 Years

LF-DL150LED (LE049) 6" Venom LED - 75W - 2 Power Positioning - Each

LF-F150CB (LA310) Crystal Blue -Venom LED LF-F150A (LA311) Amber Spot - Venom LED LF-F150CC (LA312) Clear Combo - Venom LED LF-F150C (LA313) Clear Spot - Venom LED

Genesis LED

210mm (8.26") LED Driving Lamp



The new Genesis redefines LED performance with an output of 1 LUX at 1053m. Australian designed and made, it includes CISPR25 compliant reduced radio frequency interference technology.

Product Specifications

Raw Lumen Output: Input voltage range: 10-32V DC 10.5A @ 13.2v Current draw:

Lens Dimensions: 210mm (8.26") x 232mm (9.1") Lens Material: Polycarbonate

Housing: Cast Aluminum Weight including bracket: 2.4kg (85oz) Color Temperature: 5000K 3 Years Warranty:

Description

LF-DL210LED (LE050)	8" Genesis LED - 140W - 2 Power Positioning - Each
Cover Part #*	
LF-F210C	Genesis 210mm Filter Clear Spot
LF-F210WC	Genesis 210mm Filter Clear Wide
LF-F210CC	Genesis 210mm Filter Clear Combo
LF-F210CB	Genesis 210mm Filter Crystal Blue Spot
LF-F210WCB	Genesis 210mm Filter Crystal Blue Wide
LF-F210CCB	Genesis 210mm Filter Crystal Blue Combo
LF-F210Y	Genesis 210mm Filter Yellow Spot
LF-F210WY	Genesis 210mm Filter Yellow Wide
LF-F210CY	Genesis 210mm Filter Yellow Combo
LF-C210BLK	Genesis 210mm Filter Black Cover

Description

Part #*

LF-DLHTS (LA297) Round LED Wiring Harness Kit - 3 Position Switch for pair of Venom LED/Genesis LED lamps

*Note: the Venom & Genesis LED lights, covers and wiring harness kit are available by special order only. Contact Pacesetter for more info.



Halogen & HID **Driving Lamps**

LightFORCE

LightFORCE




140 LANCE

140mm (5.6") Halogen & HID Driving Lamps






Photometric Data (Single Driving Lamp)



170 STRIKER

170mm (6.8") Halogen & HID Driving Lamps






Photometric Data (Single Driving Lamp)

•				HAL	OGEN
0.00 m	300.00 m	600.00 m	900.00 m	1200.00 m	
				HIC	35W
0.00 m	300.00 m	600.00 m	900.00 m	1200.00 m	
				HIE	50W
0.00 m	300.00 m	600.00 m	900.00 m	1200.00 m	
100.0 tr - 1		50.00 hr - 100.0 hr 2.000 hr - 5.000 hr	20.00 for - 50.00 for 1.000 for - 2.000 for	10.00 tr - 2	

240 BLITZ

240mm (9.5") Halogen & HID Driving Lamps





Photometric Data (Single Driving Lamp)

				HALC	OGEN 10.00 m 10.00 m 10.00 m 10.00 m
0.00 m	300.00 m	600.00 m	900.00 m	1200.00 m	1500.00 m
•				HID	35W 10.00 m 10.00 m 10.00 m 10.00 m 10.00 m
0.00 m	300.00 m	600.00 m	900.00 m	1200.00 m	1600.00 m
-					50W 10.00 m 10
0.00 m	300.00 m	600.00 m	900.00 m	1200.00 m	1500.00 m
100.0 tr -		50.00 fz = 100.0 fz 2.000 fz = 5.000 fz	20.00 far - 50.00 far 1.000 far - 2.000 far	10.000 to - 20.0	

Product Specifications

Halogen - 120,900 Cd (Single Unit) Max. Intensity: HID - 315,700 Cd (Single Unit) Halogen - 492m @ 1 LUX (Pair) Effective Range: HID - 795m @ 1 LUX (Pair)

Lens Diameter: 140mm | 5.6 in Lens Material: Polycarbonate

Glass Filled Nylon Composite Housing: 460g | 1lb .2oz (Single unit) Weight: Standard Bulb: 12V 75W Xenophot 4000 Hour Bulb (24V Halogen Bulbs Available)

HID 2500 Hour Bulb (5000K)

Warranty: 3 Years

Description LF-RMDL140 140 Lance Driving Lamp, Pair LF-HID140-35 140 Lance HID Driving Lamp 35W, Pair

Product Specifications

Max. Intensity: Halogen - 382,600 Cd (Single Unit)

HID - 456,000 Cd (Single 35W HID Unit) 920,500 Cd (Single 50W HID Unit)

Halogen - 875m @ 1 LUX (Pair) Effective Range: HID - 955m @ 1 LUX (35W HID Pair)

1357m @ 1 LUX (50W HID Pair)

Lens Diameter: 170mm | 6.8 in Lens Material: Polycarbonate

Glass Filled Nylon Composite Housing: 560g | 1lb 3.75oz (Single unit) Weight: Standard Bulb: 12V 100W Xenophot 2000 Hour Bulb (24V Halogen Bulbs Available)

HID 2500 Hour Bulb (5000K)

Warranty: 3 Years

Part #	Description
LF-RMDL170	170 Striker Driving Lamp, Pair
LF-HID170-35	170 Striker HID Driving Lamp 35W, Pair
LF-HID170-50	170 Striker HID Driving Lamp 50W, Pair

Product Specifications

Halogen - 493,900 Cd (Single Unit) Max. Intensity:

HID - 725,240 Cd (Single 35W HID Unit) 1,464,000 Cd (Single 50W HID Unit)

Halogen - 994m @ 1 LUX (Pair) Effective Range: HID - 1204m @ 1 LUX (35W HID Pair) 1711m @ 1 LUX (50W HID Pair)

Lens Diameter: 240mm | 9.5 in

Lens Material: Polycarbonate Glass Filled Nylon Composite Housing: 880g | 1lb 15oz (Single unit) Weight:

12V 100W Xenophot 2000 Hour Bulb Standard Bulb: (24V Halogen Bulbs Available) HID 2500 Hour Bulb (5000K)

Warranty: 3 Years

LF-RMDL240 240 Blitz Driving Lamp, Pair 240 Blitz HID Driving Lamp 35W, Pair LF-HID240-50 240 Blitz HID Driving Lamp 50W, Pair

140 FILTERS & COVERS

140mm (5.6") Driving Lamp Filters & Covers









Part # LF-FLTR140 140 Clear Filter 140 Wide Angle Clear Filter LF-FLTR140WA LF-FLTR140CR 140 Crystal Filter LF-FLTR140WACR 140 Wide Angle Crystal Filter LF-FLTR140BLU 140 Blue Filter LF-FLTR140Y LF-FLTR140WAY 140 Wide Angle Yellow Filter LF-FLTR140A 140 Amber Filter LF-FLTR140B 140 Black Cover

170 FILTERS & COVERS

170mm (6.8") Driving Lamp Filters & Covers



	Up and the second	ipet roma Cipreta		6
SPOT	СОМВО	WIDE	SPC	т





LF-FLTR170 170 Clear Filter LF-FLTR170C 170 Combo Clear Filter LF-FLTR170WA 170 Wide Angle Clear Filter 170 Crystal Filter LF-FLTR170CR LF-FLTR170CCR 170 Combo Crystal Filter LF-FLTR170WACR 170 Wide Angle Crystal LF-FLTR170BLU 170 Blue Filter LF-FLTR170CBLU 170 Combo Blue Filter LF-FLTR170Y 170 Yellow Filter 170 Combo Yellow Filter LF-FLTR170CY LF-FLTR170WAY 170 Wide Angle Yellow Filter 170 Amber Filter LF-FLTR170CA 170 Combo Amber Filter LF-FLTR170B 170 Black Cover

Description

240 FILTERS & COVERS

240mm (9.5") Driving Lamp Filters & Covers



	LF-FLTR240	240 Clear Filter
48	LF-FLTR240C	240 Combo Clear Filter
	LF-FLTR240CR	240 Crystal Filter
	LF-FLTR240CCR	240 Combo Crystal Filter
	LF-FLTR240Y	240 Yellow Filter
	LF-FLTR240CY	240 Combo Yellow Filter
	LF-FLTR240A	240 Amber Filter
	LF-FLTR240CA	240 Combo Amber Filter
	LF-FLTR240BLU	240 Blue Filter
	LF-FLTR240CBLU	240 Combo Blue Filter
	LF-FLTR240B	240 Black Cover



Mounts & Accessories





BULBS

Genuine Lightforce Replacement Bulbs







ACCESSORIES

Genuine Lightforce Driving Lamp Accessoriess







REPLACEMENT PARTS

Genuine Lightforce Driving Lamp Replacement Parts



ENFORCER HANDHELD LIGHTS

Genuine Lightforce Handheld Lights












DIMENSIONS:



will ensure your lights' performance is at optimum level.

Genuine Lightforce HID upgrade kits convert your existing Lance 140, Striker 170 or Blitz 240 halogen lights to new generation 35W, 5000K HID technology using original equipment components to optimize performance.

Lightforce has bulbs available including 12V & 24V in 30W, 50W, 75W and 100W for various applications. Preserve the original

performance of your lights; insist on genuine Lightforce supplied

12V 75W Bulb, Vertical Filament

Genuine Lightforce accessories simplify installation of driving lights.

Looms with preterminated connections and quality workmanship

24V 50W Bulb

24V 100W Bulb

Parts & Accessories

replacement bulbs.

LF-GL07 LF-GL12

LF-GL13

Parts & Accessories

Part #	Description
LF-RMKIT50	HID Upgrade Kit for RMDL Lights (1 per light)
LF-WH	Lightforce Wiring Harness for Driving Lamps
LF-ATN10MM	Anti-Theft Lock Nuts 10mm, Pair

Genuine Lightforce replacement parts, preserve the effective life of your purchase and keep your Lightforce product in top condition

Parts & Accessories

Part #	Description
LF-REFH140	Reflector housing 140 Lance
LF-REFH170	Reflector housing 170 Striker
LF-REFH240	Reflector Housing for 240 Blitz
LF-RMDLARM	Replacement Arm for 140 Lance, 170 Striker and 240 Blitz
LF-RMDLHIGH	High Mount Foot for 140 Lance, 170 Striker and 240 Blitz
LF-RMDLLOW	Low Mount Foot for 140 Lance, 170 Striker and 240 Blitz

A revolutionary new hand held search light from Lightforce, the Enforcer Halogen is built tough to suit all environments, while offering the power of high quality performance lighting to all users. Featuring a soft ergonomic grip, light weight waterproof construction and a powerful 100w halogen spot beam with separate switched low energy LED task light, Enforcer Halogen encompasses the best in technology and ease of use. Conveniently allowing for a replaceable cord available in either cigarette lighter plug or alligator clip connections. Enforcer Halogen can also convert to cordless operation with the optional battery and charger.

Parts & Accessories

	.
Part #	Description
LF-EF170CC	170mm 100W Handheld Light with Cigarette Plug, Each
LF-EF170AL	170mm 100W Handheld Light with Alligator Clips, Each
LF-EFCC	Replacement Coil Cord with Cigarette Plug, Each
LF-EFAL	Replacement 5M Cord with Alligator Clips, Each
LF-BPEF	Cordless 4.5 A/H Battery and Charger, Each
LF-BPEFS	Spare 4.5 A/H Battery, Each

Also available by special order:

- Halogen Enforcer in 140 & 240mm sizes Variable power versions in 170 & 240mm sizes only
- 50W HID versions in 170 & 240mm sizes only

PRODUCT DISPLAYS

An interactive lighting display is an extremely effective sales tool to any store countertop. The best way to drive sales is to demo the lights you sell! Pacesetter Products is pleased to offer a variety of lighting displays for your parts showroom.

The Headlamp Display (shown in photo #1 below) includes a Philips CrystalVision Ultra Sealed Beam Headlamp (PH-H4656CV), a STARR Halogen Reflector Headlamp (STARR-HR4656) and a Speaker Model 8800 Evolution Low beam LED headlamp (JW-0549001). The black powder-coated aluminum display ships ready-touse with an on-board battery and smart charger. Free with minimum order - limit of 1 per dealer

The Headlamp Display is designed to sit on a counter/shelf or hang on standard slat-wall alone or in configuration with our other wall displays (see photo #2 below).



The Auxillary Lamp Displays are powder-coated display brackets designed to hang on slat wall (various configurations are shown in the photos #3, 4, 5). The displays can be configured with any driving, fog and/or work lamps you choose. The brackets, switches, wiring and preliminary assembly are all provided at no cost.

Contact our sales team for more information and ordering.







Counter Displays

DISPLAYS



The RIGID INDUSTRIES COUNTER DISPLAYS feature

a variety of functional RIGID LED light products in a compact counter display with switches and graphics. These Point of Purchase Displays are a great sales aid

Free with minimum order - limit one per dealer

1) RGD-77991 Pro Counter Top POP display STD

2) RGD-779912 Pro Counter Top POP display SAE

4) RGD-220063 Radiance Plus 20" display RGD

3) RGD-779913 SAE & Scene Light Counter Top Display

for any parts store countertop.

- (2) D-Series Pro

- (1) E-Series Pro

- (2) D-Series Pro Lights

- (1) 6" E-Series Pro Light

- (1) 2x2 Heavy Duty DC Scene Light - (1) SAE Fog Light D-Series Pro

- (1) 6" SAE Auxiliary E-Series Pro



Displays

PHILIPS

J.W. SPEAKER. Engineered. Lighting. Solutions.

Smart Heat™ Lighting Display

Includes 8800 Evolution 2, Model 234 & Model 670 XD

- Comes fully assembled just plug it in!
- Interactive display
- Hangs on "slat wall" or displays on a flat surface
- Industrial-strength momentary switches power the lights
- 120V AC plug power supply
- QR codes to scan and access product spec sheets
- Free with minimum order

Contact Pacesetter for how to qualify for this display.

Part #: JW-HEATEDDISPLAY





Evo J2 Countertop Display

Includes 8700 Evolution J2 designed for Jeeps

- Comes fully assembled just plug it in!
- · Interactive display
- Hangs on "slat wall" or displays on a flat surface
- Industrial-strength momentary switches power the lights
- 120V AC plug power supply
- QR codes to scan and access product spec sheets
- · Free with minimum order

Contact Pacesetter for how to qualify for this display.

Part #: JW-8700J2-DISPLAY













Crystal Vision Ultra



X-treme Vision



In response to growing interest in high performance halogen bulbs by Philips Automotive Lighting, we are pleased to offer our dealers a counter display suitable for the CrystalVision Ultra and X-treme Vision bulbs we carry.

The counter displays (pictured beside) are free with your order of 12 pairs or more of any combination of Philips premium bulbs. Contact our sales team for more information and ordering.

Part # PH-56347C1 Countertop Premium Bulb Display - holds 12 pairs bulbs

Displays

DESCRIPTION PAGE #

FEATURED PRODUCTS:
Headlamp Mounting
Hoadlamn Accombly

FEATURED DRODUCTO

modeling moderning.	
Headlamp Assembly	4
Headlamp Protection	Ę
Headlamp Bucket Extension	Ę
Driving Lamp Mount	Ę

STADD LIGHTING

OTATITI ETGITTING.	
LED3600	. 7
LED4000	. 7
LED389	. 8
LED500	. 9
LED700	. 9
LED900	. 9
LED4656/LED4651	10
LBAR880	10
LED400R	10
DLX680	11
DLX760	11
DLH760	11
HR4656	12
HR4651	12
HR6054	13
HR6024	13
HR5006	13

J.W. SPEAKER:

wouei	234.										٠	ı
Model	670 X	D.										1
Model	8700	Evo	2	Dι	ıal	В	uı	rn				1
Model	8900	Evo	lut	ioi	١.							1

Headlamp Accessories 15

Driving Lamp Accessories 15

lodel 8800 Evolution 2	2
lodel 9800 HS	2
lodel 8630/8631 Evolution	2
lodel 95	2
lodel 8790 Adaptive 2	2
lodel 6045	2
lodel TS3001V	2
lodel TS3001R	2
lodel 8700 Evolution J2	2
lodel 6145 J2	2
lodel 279 J	2
ladal 000 IO	_

Model 239 J2 25 Model 87

Model 8700 Evolution 2R	25
Model 770 BLU	26
Model 680 XD	26
Model 770 XD	27
Model 880 XD	27
Model 840 XD	27

Model 832. 29 Warranty Information 30

RIGID INDUSTRIES:

Model 735. 28

Model 4415. 28

DS-Series PRO	33
-Series PRO	34
R-Series PRO	36
-Series PRO	38
AE Compliant Lamps	40
Series Flashlights	41

Security Nut Kits 41

Radiance Plus & POD..... 42

Why Rigid? 43

PHILIPS:

High Performance Halogen Bulbs	4
Crystal Vision Sealed Beams	4
HID Bulbs	4
X-treme Ultinon LED Headlight	4

LIGHTFORCE:

Venom LED	49
Genesis LED	49
140 Lance	50
170 Striker	50
240 Blitz	50
Filters and Covers	51
Bulbs	52
Accessories	52
Replacement Parts	52
Handheld Lights	52

Point of Purchase Displays:

eadlamp Displays	53
peaker Product Displays	54
igid Product Displays	55
hilips Bulb Displays	55

PACESETTER PRODUCTS WARRANTY POLICY

Pacesetter Products stands behind the products we distribute. We have a comprehensive in-house warranty program to save our dealers the hassle of dealing with cross-border warranty processes with the various manufacturers. If any product supplied by Pacesetter Products is found to be defective in materials or workmanship within the warranty period for that product, please send an email to warranty@pacesetterproducts.ca indicating:

- the part number of the item(s) / the original sale date / the nature of the defect
- * For Speaker products: the manufacturing date on the back of the product (where available)
- * For moisture in lamps, burnt out diodes and other visually apparent defects we require photographs in your email

An RMA number will be issued along with further instructions on the warranty claim process for the product or products affected. You can also submit a warranty claim online on our website: http://www.pacesetterproducts.ca/warranty/

NOTE: Our order fulfillment warehouses do not accept warranty returns! Any warranty returns that are shipped to our warehouses will be rejected and returned at the dealer's expense. We will not accept delivery of any return shipments that are shipped collect and/or without an RMA number clearly marked on the outside of the package(s).

If products need to be returned, you will be provided a ship-to address. Upon receipt of your shipment, Pacesetter will verify that the defect was not caused by negligence, abuse, unauthorized repair or disassembly. Pacesetter will determine whether the product will be repaired or replaced. Replacement products will be shipped out with your next order. If you require your replacements sooner, you must contact our warranty department to make alternate arrangements. By completing the steps above, this will ensure faster processing of your claim so that we can get your product back to you as quickly as possible. All warranty claims must be submitted through an authorized Pacesetter

Below is a summary of the warranty coverage for the different product lines carried by Pacesetter:

STARR LIGHTING

- » LED Bulb conversion kits:
- » Model 3600 2 years
- » Model 4000 3 years
- » If either of the above are being used in mining, industrial, or off-road applications the warranty period is one year.
- » HID Driving Lamps:
- » Failures within 30 days: the complete driving lamp will be
- » Failures after 30 days, and within 1 year: only the failed component will be replaced
- » Halogen and LED Driving Lamps
 - » Failures within 1 year: the complete driving lamp will be
- » Not Covered
 - » Halogen Bulbs
- » Damage to the housing or mount of an HID or LED driving lamp (DLX-680/760/880 and LED700/900) unless the driving lamp is purchased together with a stainless steel stabilizer strut (STARR-SSM4)
- » Damage due to impact, neglect, misuse, improper installation, etc.

J.W. SPEAKER

» Most Speaker LED Lamps are covered by a 5 year Limited Warranty with exception to heated lamps which are two years. Some exceptions apply. See pages 30-31 of this catalogue for more details on Speakers warranty terms and conditions.

RIGID INDUSTRIES

» Rigid LED Lamps are covered by a Lifetime Limited Warranty. See page 43 for more details

PHILIPS

- » Five-year warranty on Philips Ultinon LED Headlight Bulbs
- » One-year warranty on CrystalVision Ultra and XtremeVision high performance halogen bulbs and HID bulbs
- » 90-day warranty on sealed beam headlamps

LIGHTFORCE

- » 3-year warranty on all lamps with the following exceptions:
- » 1-vear warranty on HID electronics
- » No warranty on halogen bulbs

STOCK RETURNS

All returns must be accompanied by a Return Merchandise Authorization (RMA) number. Please call or email sales@pacesetterproducts.ca to request an RMA number. A return shipping label will be provided. Stock returns may be subject to restocking charges. All merchandise must be in original packaging and in "as new" resalable condition. All returns must be shipped to a regional or head office. Our order fulfillment warehouses do not accept returns. Special order items are not returnable. We will not accept delivery of any return shipments that are shipped collect and/or without an RMA number clearly marked on the outside of the package(s).











Pacesetter Trading Company Ltd.

Head Office:

126 Industrial Road, Whitehorse, YT Y1A 2T9

BC Office: Nanaimo, BC

Fulfilment Warehouses:

• Delta, BC

• Windsor, ON

• Blaine, WA

Toll Free: 1.888.367.9537

Fax: 1.877.367.9537

info@PacesetterProducts.ca www.PacesetterProducts.ca





