



RIGID



RDS-Series PRO	33	RI Series Flashlights	41
E-Series PRO	34	Security Kits	41
SR-Series PRO	36	Radiance Plus & POD	42
D-Series PRO	38	Why RIGID	43
SAE Compliant Lamps	40		

RIGID

RDS-Series PRO



PRO PROFESSIONAL RACE OUTPUT

RDS-SERIES® PRO

By taking an E-Series light bar and treating it to a gentle arc, the patented RDS-Series PRO provides a sleek, integrated look with the curved windshields and bumpers on today's trucks and SUVs. The curve is for more than just looks, it is also functional: the arc of the RDS-Series PRO light bars provides a wider spread of LED light, providing unmatched lighting coverage with a single light bar.



40" - Spot

11" COVERS

	Black RGD-105523
	Clear RGD-105533
	Amber RGD-105543
	Blue RGD-105553
	Red RGD-105563
	Smoke RGD-105593

SPECIFICATIONS

	SIZE	BLACK PART NO.	WT (LBS.)	WATTS	AMP DRAW @ 14VDC	LEDs	PRO RAW LUMENS
SPOT	20"	RGD-882213	6.31	234	16.72	40	25080
	30"	RGD-883213	8.99	277	19.8	60	43560
	40"	RGD-884213	12.40	314	22.44	80	35640
	50"	RGD-885213	14.26	393	28.05	100	44550
	54"	RGD-886213	16.07	453	32.34	108	48114

DIMENSIONS

	A	B	C	D	E*	F
RDS-Series PRO 20"	3.87	4.06	22.68	22	24.06	1.25
RDS-Series PRO 30"	3.87	4.68	32.68	32	34.06	1.25
RDS-Series PRO 40"	3.87	5.68	42.62	41.93	44.06	1.25
RDS-Series PRO 50"	3.87	6.84	52.5	51.75	53.87	1.25
RDS-Series PRO 54"	3.87	7.37	56.25	55.68	57.75	1.25

*For reference only. Assemble brackets and mark exact hole location for best mounting.

BEAM PATTERN






PRO PROFESSIONAL RACE OUTPUT

E-SERIES® PRO

The E-Series PRO is one of RIGID's most versatile, all-around lighting solutions, and recent enhancements in LED technology mean greater light output than ever before with the E-Series PRO. Among RIGID's most popular product lines, the E-Series PRO has recently benefited from several upgrades to improve both looks and performance. The E-Series PRO was born in off-road, but its versatility makes it well suited for use with power sports, marine, general automotive and even first responder applications.



Flood Spot Flood

OPTICS SHOWN

SPECIFICATIONS


	SIZE	BLACK PART NO.	WT (LBS.)	WATTS	AMP DRAW @14VDC	LEDs	PRO RAW LUMENS	A	B	C	**PEAK BEAM INTENSITY(cd)
SPOT/FLOOD COMBO	6"	RGD-106313	2.84	82	5.86	12	9504	829	288	576	82863
	10"	RGD-110313	4.12	165	11.79	20	15840	2003	448	895	200267
	20"	RGD-120313	6.1	214	15	40	25080	3898	624	1249	389784
	28"	RGD-128313	7.5	243	17	56	30520	4219	650	1299	421893
	30"	RGD-130313	8.78	311	22	60	32700	4746	689	1378	474648
	38"	RGD-138313	9.65	360	26	76	33896	4929	702	1404	492876
	40"	RGD-140313	10.84	299	21	80	35680	5134	716	1433	513412
	50"	RGD-150313	13.84	377	27	100	44600	6308	794	1589	630822
SPOT/DRIVING COMBO	10"	RGD-178313	4.12	174	12.43	24	19008	2285	478	956	228502
	20"	RGD-122313	6.1	319	23	44	34848	5480	740	1481	548042
	28"	RGD-127313	7.5	355	25	64	34880	5758	759	1518	575786
	30"	RGD-132313	8.78	470	34	68	37060	5932	770	1540	593163
	38"	RGD-137313	9.65	365	26	88	39248	6808	825	1650	680841
	40"	RGD-142313	10.84	370	30	92	41032	7127	844	1688	712687
	50"	RGD-152313	13.84	448	32	112	49952	7537	868	1736	753666

A - LUX AT 10 METERS
B - DISTANCE (m) WITH 1 LUX
C - DISTANCE (m) WITH .25 LUX

10" COVERS




SPOT/DRIVING COMBO



Driving Spot Driving

OPTICS SHOWN

DIMENSIONS



E-SERIES PRO	A	B	C	D	E	F
E-Series PRO 6"	3.25	3.75	6.6	5.2	7.9	2.7
E-Series PRO 10"	3.25	3.75	12.6	11.2	13.9	2.7
E-Series PRO 20"	3.25	3.75	23	21.5	24	2.7
E-Series PRO 30"	3.25	3.75	33	31.5	34	2.7
E-Series PRO 40"	3.25	3.75	43	41.5	44	2.7
E-Series PRO 50"	3.25	3.75	53	51.5	54	2.7

BEAM PATTERNS



Featured Products

STAR

J.W. SPEAKER

RIGID

PHILIPS

LightForce

Displays

Featured Products

STAR

J.W. SPEAKER

RIGID

PHILIPS

LightForce

Displays




PRO PROFESSIONAL RACE OUTPUT

SR-SERIES® PRO

The SR-Series PRO LED Light Bars provide a sleek, low profile lighting solution that measures less than 2" tall. Thanks to improved LED technology, the SR-Series PRO now offers more light output than ever before. As the name implies, the SR-Series PRO utilizes a single row of LEDs with your choice of optics in a variety of beam patterns. Ideal for applications where space is limited, the SR-Series PRO is a powerful light source designed to project light at extreme distances while consuming very little power.

SPOT/FLOOD COMBO



Flood	Spot	Flood
-------	------	-------

OPTICS SHOWN

SPECIFICATIONS


	SIZE	BLACK PART NO.	WT (LBS.)	WATTS	AMP DRAW @14VDC	LEDs	PRO RAW LUMENS	A	B	C	**PEAK BEAM INTENSITY(cd)
SPOT/FLOOD COMBO	10"	RGD-910313	1.72	60	4.29	10	7920	1123	335	670	112340
	20"	RGD-920314	3.62	119	8.5	20	15840	1989	446	892	198854
	30"	RGD-930314	5.42	160	11.42	30	18810	2968	545	1090	296841
	40"	RGD-940314	7.04	259	18.5	40	25080	3772	614	1228	377168
	50"	RGD-950314	8.55	290	21	50	31350	4347	659	1319	434698
SPOT/DRIVING COMBO	10"	RGD-911313	1.72	50	3.57	12	9504	904	300	301	90475
	20"	RGD-921314	3.62	132	9.42	22	17424	3053	553	892	305299
	30"	RGD-931314	5.42	205	14.64	34	21318	3802	617	1233	380181
	40"	RGD-941314	7.04	303	21.64	46	28842	4653	682	1364	465325
	50"	RGD-951314	8.55	334	23.85	56	35112	5881	767	1534	588120

10" Covers

	Black RGD-105943		Blue RGD-105973
	Clear RGD-105983		Red RGD-106003
	Amber RGD-105963		Smoke RGD-106013

A - LUX AT 10 METERS
B - DISTANCE (m) WITH 1 LUX
C - DISTANCE (m) WITH .25 LUX


SPOT/DRIVING COMBO



Driving	Spot	Driving
---------	------	---------

OPTICS SHOWN

DIMENSIONS



SR-SERIES PRO	A	B	C	D	E	F
SR-Series PRO 10"	1.75	3	13	11.5	13	1.125
SR-Series PRO 20"	1.75	3	23	21.5	23	1.125
SR-Series PRO 30"	1.75	3	33	31.5	33	1.125
SR-Series PRO 40"	1.75	3	43	41.5	43	1.125
SR-Series PRO 50"	1.75	3	53	51.5	53	1.125

BEAM PATTERNS



Featured Products

STAR

J.W. SPEAKER

RIGID

PHILIPS

LightForce

Displays

Featured Products

STAR

J.W. SPEAKER

RIGID

PHILIPS

LightForce

Displays



PRO PROFESSIONAL RACE OUTPUT

D-SERIES® PRO

The D-Series PRO has always been the most versatile compact lighting package on the market today. RIGID has just made it professional grade with the D-Series PRO, which offers more light output than ever before thanks to recent advancements in LED technology. Available with a variety of mounting options, including surface, flush, or heavy-duty, the D-Series PRO can be utilized for virtually any lighting application. Measuring just 3" x 3", the D-Series PRO packs a powerful punch up to 4,752 lumens depending on the optics chosen.



FLOOD DIFFUSED



DRIVING DIFFUSED



FLOOD



DRIVING



SPOT



HYPERSPOT



HEAVY DUTY MOUNT



FLUSHMOUNT

SPECIFICATIONS

	MOUNT	BLACK PAIR PART NO.	WT (LBS.)	WATTS	AMP DRAW @14VDC	LEDs	PRO RAW LUMENS	A	B	C	**PEAK BEAM INTENSITY(cd)
FLOOD DIFFUSED	SM	RGD-202513	1.1	30	2.14	4	3168	20	45	90	2060
DRIVING DIFFUSED	SM	RGD-502513	1.1	44	3.14	6	4752	29	53	107	2909
FLOOD	SM	RGD-202113	1.1	30	2.14	4	3168	58	76	152	5819
DRIVING	SM	RGD-502313	1.1	44	3.14	6	4752	231	152	304	23148
SPOT	SM	RGD-202213	1.1	30	2.14	4	3168	721	268	537	72197
HYPERSPOT	SM	RGD-504713	1.15	30	2.14	4	1760	794	281	563	79456

A - LUX AT 10 METERS
B - DISTANCE (m) WITH 1 LUX
C - DISTANCE (m) WITH .25 LUX

D-SERIES PRO COVERS



Black
RGD-201913



Blue
RGD-901943



Clear
RGD-201923



Red
RGD-201953






Amber
RGD-201933





Smoke
RGD-201983

DIMENSIONS


SURFACE MOUNT



FLUSH MOUNT




HEAVY DUTY MOUNT



NOTE: The D-Series PRO lights are also available in flush mount and heavy duty mount versions. Any D-Series PRO product not shown on this page can be special ordered. Please contact your Pacesetter Sales Rep for more information on pricing and availability.

BEAM PATTERNS





SAE COMPLIANT

RIGID's auxiliary lighting has been helping off-roaders own the night for over 10 years, but RIGID light bars could only be legally used in the dirt...until now. RIGID has released a complete line of lighting that are safe and legal for use both on and off the pavement. RIGID's new SAE Series offers powerful long-range coverage with the color temperature of daylight for superior clarity in a variety of conditions. In addition to providing powerful street-legal lighting solutions, the new 20" SAE SR-Series light bar features a backlit RIGID branding plate. This secondary lighting can be controlled independently or in tandem with the main forward-facing LEDs, offering a custom look to any vehicle.



FOG LIGHT
SR-M PRO



FOG LIGHT
D-SERIES PRO



FOG LIGHT
D-XL PRO



FOG LIGHT
6" SR-SERIES PRO



DRIVING AUXILIARY HIGH BEAM
6" E-SERIES PRO



DRIVING AUXILIARY HIGH BEAM
Q-SERIES PRO



SPECIFICATIONS

	SERIES / SIZE	BLACK PAIR PART NO.	WT (LBS.)	WATTS	AMP DRAW @14VDC	LEDs	PRO RAW LUMENS	A	B	C	**PEAK BEAM INTENSITY(cd)
FOG LIGHT	SR-M	RGD-902533	0.588	15	1.1	2	1179	69	83	116	6662
	D-SERIES	RGD-504813	1.10	22	1.5	4	1760	106	103	206	10570
	D-XL	RGD-321513	1.81	19	1.4	6	2315	116	108	215	11548
DRIVING AUXILIARY HIGH BEAM	SR-SERIES (6")	RGD-906703	1.78	21	1.5	6	2640	130	114	228	13030
	Q-SERIES	RGD-244813	2.8	140	10	16	8253	579	241	481	46486
	E-SERIES (6")	RGD-106613	2.35	41	2.85	12	5280	492	222	444	49230

*NOTE: The SR-M, D-XL, SR-Series and Q-Series are available by special order only.

A - LUX AT 10 METERS
B - DISTANCE (m) WITH 1 LUX
C - DISTANCE (m) WITH .25 LUX

RI-Series Flashlights

Quite possibly the last flashlight you will ever need to buy. The Rigid Industries RI-Series™ is a full line of flashlights that offer high-output LED technology in a compact package. Inspired by tactical flashlights developed for military and law enforcement, the RI-Series couples cutting edge LEDs with a machined aluminum reflector to create a rugged, powerful light source. With a military-grade hard anodized aluminum housing, waterproof construction, rechargeable battery, and many more features, the RI-Series can withstand the elements and provide years of trouble-free operation. Backed by a limited lifetime warranty.

FEATURES

- High, Medium, Low, and Strobe Modes
- Limited Lifetime Warranty
- High Intensity Spot Reflector Design
- Thermally Regulated LED Circuit
- Tested For Shock/Drop, Water Ingress, Vibration, Sun and Salt Exposure



RI-1500
RGD-30160



RI-1100
RGD-30150



RI-800
RGD-30140



RI-600
RGD-30130



Order the POP display and save even more. 15 flashlights for the price of 14.
Part# RGD-30127

SPECIFICATIONS

	PART NO.	MODE	*RAW LUMENS	EFFECTIVE LUMENS	BATTERY RUN TIME	LUX @ 10mV	BEAM DISTANCE (m) w/1 LUX	**PEAK BEAM INTENSITY (cd)
RI-600	RGD-30130 (Cool White)	HIGH	680	620	1.8 hrs	69	165	6945
		MED	250	210	6.5 hrs	27	104	2710
		LOW	80	60	24 hrs	7	51	669
RI-800	RGD-30140 (Cool White)	HIGH	820	768	1.6 hrs	231	304	23174
		MED	300	273	5.5 hrs	95	195	9560
		LOW	100	81	18 hrs	27	105	2740
RI-1100	RGD-30150 (Cool White)	HIGH	1100	960	2.1 hrs	253	318	25340
		MED	300	273	9 hrs	95	195	9560
		LOW	100	81	26 hrs	27	105	2740
RI-1500	RGD-30160 (Cool White)	HIGH	1500	1340	1.2 hrs	602	490	60202
		MED	475	412	3.7 hrs	224	299	22476
		LOW	150	104	16.5 hrs	51	146	5167

Note: RI-1100 and RI-1500 and color LED RI-600's are available by special order only.

SECURITY NUT KITS

RIGID's security kits make a potential thief's job more difficult. It protects your lights by adding nuts to the current mounting hardware that need specific tools to tighten or loosen.



RGD-40282
D-SERIES PRO SECURITY KIT



RGD-40283
HD D-SERIES PRO SECURITY KIT



RGD-40281
E-SERIES PRO / SR-SERIES PRO /
RADIANCE+ SECURITY NUT KIT



RGD-40287
Q-SERIES PRO SECURITY KIT



RGD-40289
FLUSH MOUNT SECURITY KIT




RGD-40290
RDS-SERIES PRO / RADIANCE+
CURVED SECURITY KIT




RADIANCE PLUS & RADIANCE POD


RIGID's Radiance PLUS is the perfect solution for those who want RIGID legendary quality at a level everyone can attain. Radiance is feature-packed, with a black exposed printed circuit board, optimized forward projecting optics and back-lighting available in white, green, blue and red.




50" Light Bar - Red Back Light




Pod - Red Back Light




White Back Light



Green Back Light



Blue Back Light



Amber Back Light

SPECIFICATIONS - RADIANCE PLUS LIGHT BARS (HARNESS INCLUDED)

SIZE	WHITE PART NO.	BLUE PART NO.	RED PART NO.	GREEN PART NO.	AMBER PART NO.	WT. (lbs)	WATTS	AMP DRAW @ 14 VDC	PRO RAW LUMENS	A	B	C	**PEAK BEAM INTENSITY(cd)
10"	RGD-210003	RGD-210013	RGD-210023	RGD-210033	RGD-210043	4.12	70	5	4572	835	289	578	83499
20"	RGD-220003	RGD-220013	RGD-220023	RGD-220033	RGD-220043	7.65	92	6.57	7128	1295	359	719	129536
30"	RGD-230003	RGD-230013	RGD-230023	RGD-230033	RGD-230043	10.55	155	11.07	11880	1991	446	892	199108
40"	RGD-240003	RGD-240013	RGD-240023	RGD-240033	RGD-240043	13.61	204	14.57	16632	2595	509	1019	259599
50"	RGD-250003	RGD-250013	RGD-250023	RGD-250033	RGD-250043	16.84	243	17.36	21384	3015	349	1098	301509



SPECIFICATIONS - RADIANCE PODS (HARNESS NOT INCLUDED)

	BLACK PAIR	WT. (lbs.)	WATTS	AMP DRAW @ 14V	LEDs	RAW LUMENS	A	B	C	**PEAK BEAM INTENSITY(cd)
WHITE	RGD-20200	1.5	15	1	3	900	125	112	224	12456
BLUE	RGD-20201	1.5	15	1	3	900	125	112	224	12456
RED	RGD-20202	1.5	15	1	3	900	125	112	224	12456
GREEN	RGD-20203	1.5	15	1	3	900	125	112	224	12456
AMBER	RGD-20204	1.5	15	1	3	900	125	112	224	12456



WHY RIGID?

STEP 1. CHOOSE SCENARIO

STEP 2. CHOOSE ANGLE

STEP 3. CHOOSE OPTIC

SAE COMPLIANT STREET LEGAL

AREA / CRAWLING (0-10 MPH)

MODERATE / WINDING (10-50 MPH)

HIGH / WARP SPEED (50+ MPH)

YOU ARE HERE

115° SCENE

60° DIFFUSED

45° DRIVING

25° FLOOD

10° SPOT

5° HYPERSPOT

SCENE 115°

DIFFUSED 60°

DRIVING 45°

FLOOD 25°

SPOT 10°

HYPERSPOT 5°

SAE AUX 50°

SIDE VIEW

WHAT IS RIGID PRO?

RIGID is making major enhancements to its existing catalog with the release of the new high performance PRO (Professional Race Output) product lineup. Most all of RIGID's popular products will now benefit from new superior LED technology which will deliver up to 170% more light output than the previous models. Along with these serious performance upgrades, all of the products will receive enhanced RIGID branding as well as redesigned packaging. Best of all, these new improvements will come without a price increase.

MORE LIGHT OUTPUT

LIGHT PODS

ADDITIONAL OUTPUT COMPARISON CHART (MEASURED IN RAW LUMENS)

INDIVIDUAL RESULTS MAY VARY

D-SERIES PRO	102%
D-XL PRO	160%
SR-M SERIES PRO	111%
SR-Q SERIES PRO	102%

0 50% 100% 150% 200%

LIGHT BARS

ADDITIONAL OUTPUT COMPARISON CHART (MEASURED IN RAW LUMENS)

INDIVIDUAL RESULTS MAY VARY

E-SERIES PRO	176%
RDS SERIES PRO	140%
SR-SERIES PRO	111%

0 20% 40% 60% 80% 100% 120%

D-SERIES LEGACY APPEARANCE

NEW D-SERIES PRO APPEARANCE



Any Rigid Industries product not found in this catalogue is available by special order. Check out Rigid's latest catalogue for their complete lineup of aftermarket lights and accessories. Contact us today for pricing and availability. sales@pacesetterproducts.ca Tel: 1.888.367.9537

