



LightFORCE™

LightFORCE™

LED Driving Lamps



Featured Products

STARR

J.W. SPEAKER

RIGID

PHILIPS

LightFORCE

Displays

Featured Products

STARR

J.W. SPEAKER

RIGID

PHILIPS

LightFORCE

Displays

LED Driving Lamps.....	49
Venom LED	
Genesis LED	
Halogen & HID Driving Lamps.....	50
140 Lance	
170 Striker	
240 Blitz	
Driving Lamp Filter & Covers.....	51
140 Filters & Covers	
170 Filters & Covers	
240 Filters & Covers	
Bulbs, Handheld Lights, Mounts & Accessories.....	52

Venom LED
150mm (5.9") LED Driving Lamp



The Australian designed and made Venom LED packs a generous beam of 1 LUX @ 850M into compact housing, perfect for any application. Providing increased audio clarity with the inclusion of CISPR25 compliant reduced radio frequency interference technology, Venom LED assists in getting you to your destination in comfort, with safety always at the forefront.

Product Specifications

Raw Lumen Output:	7850
Input voltage range:	10-32V DC
Current draw:	5.7A @ 13.2v
Lens Dimensions:	170mm (6.7") x 171mm (6.7")
Lens Material:	Polycarbonate
Housing:	Cast Aluminum
Weight including bracket:	1.2kg (42oz)
Color Temperature:	5000K
Warranty:	3 Years

Part #*	Description
LF-DL150LED (LE049)	6" Venom LED - 75W - 2 Power Positioning - Each
Cover Part #*	
LF-F150CB (LA310)	Crystal Blue -Venom LED
LF-F150A (LA311)	Amber Spot - Venom LED
LF-F150CC (LA312)	Clear Combo - Venom LED
LF-F150C (LA313)	Clear Spot - Venom LED

Genesis LED
210mm (8.26") LED Driving Lamp



The new Genesis redefines LED performance with an output of 1 LUX at 1053m. Australian designed and made, it includes CISPR25 compliant reduced radio frequency interference technology.

Product Specifications

Raw Lumen Output:	13580
Input voltage range:	10-32V DC
Current draw:	10.5A @ 13.2v
Lens Dimensions:	210mm (8.26") x 232mm (9.1")
Lens Material:	Polycarbonate
Housing:	Cast Aluminum
Weight including bracket:	2.4kg (85oz)
Color Temperature:	5000K
Warranty:	3 Years

Part #*	Description
LF-DL210LED (LE050)	8" Genesis LED - 140W - 2 Power Positioning - Each
Cover Part #*	
LF-F210C	Genesis 210mm Filter Clear Spot
LF-F210WC	Genesis 210mm Filter Clear Wide
LF-F210CC	Genesis 210mm Filter Clear Combo
LF-F210CB	Genesis 210mm Filter Crystal Blue Spot
LF-F210WCB	Genesis 210mm Filter Crystal Blue Wide
LF-F210CCB	Genesis 210mm Filter Crystal Blue Combo
LF-F210Y	Genesis 210mm Filter Yellow Spot
LF-F210WY	Genesis 210mm Filter Yellow Wide
LF-F210CY	Genesis 210mm Filter Yellow Combo
LF-C210BLK	Genesis 210mm Filter Black Cover

Part #*	Description
LF-DLHTS (LA297)	Round LED Wiring Harness Kit - 3 Position Switch for pair of Venom LED/Genesis LED lamps

***Note:** the Venom & Genesis LED lights, covers and wiring harness kit are available by special order only. Contact Pacesetter for more info.

Wiring Harness for Venom & Genesis LED



Genuine Lightforce 12 Volt 3 Stage Operation Wiring Kit. Harness only to Suit Venom LED and Genesis LED.

Kit includes:

- 1 x Wiring harness
- 1 x HB3 connector
- 1 x H4 connector
- 1 x Instructions

Halogen & HID Driving Lamps

LightFORCE™

LightFORCE™

Driving Lamp Filters & Covers




140 LANCE

140mm (5.6") Halogen & HID Driving Lamps



Photometric Data (Single Driving Lamp)




170 STRIKER

170mm (6.8") Halogen & HID Driving Lamps



Photometric Data (Single Driving Lamp)




240 BLITZ

240mm (9.5") Halogen & HID Driving Lamps



Photometric Data (Single Driving Lamp)



Product Specifications

Max. Intensity: Halogen - 120,900 Cd (Single Unit)
HID - 315,700 Cd (Single Unit)
Effective Range: Halogen - 492m @ 1 LUX (Pair)
HID - 795m @ 1 LUX (Pair)
Lens Diameter: 140mm | 5.6 in
Lens Material: Polycarbonate
Housing: Glass Filled Nylon Composite
Weight: 460g | 1lb .2oz (Single unit)
Standard Bulb: 12V 75W Xenophot 4000 Hour Bulb (24V Halogen Bulbs Available)
HID 2500 Hour Bulb (5000K)
Warranty: 3 Years

Part #	Description
LF-RMDL140	140 Lance Driving Lamp, Pair
LF-HID140-35	140 Lance HID Driving Lamp 35W, Pair

Product Specifications

Max. Intensity: Halogen - 382,600 Cd (Single Unit)
HID - 456,000 Cd (Single 35W HID Unit)
920,500 Cd (Single 50W HID Unit)
Effective Range: Halogen - 875m @ 1 LUX (Pair)
HID - 955m @ 1 LUX (35W HID Pair)
1357m @ 1 LUX (50W HID Pair)
Lens Diameter: 170mm | 6.8 in
Lens Material: Polycarbonate
Housing: Glass Filled Nylon Composite
Weight: 560g | 1lb 3.75oz (Single unit)
Standard Bulb: 12V 100W Xenophot 2000 Hour Bulb (24V Halogen Bulbs Available)
HID 2500 Hour Bulb (5000K)
Warranty: 3 Years

Part #	Description
LF-RMDL170	170 Striker Driving Lamp, Pair
LF-HID170-35	170 Striker HID Driving Lamp 35W, Pair
LF-HID170-50	170 Striker HID Driving Lamp 50W, Pair

Product Specifications

Max. Intensity: Halogen - 493,900 Cd (Single Unit)
HID - 725,240 Cd (Single 35W HID Unit)
1,464,000 Cd (Single 50W HID Unit)
Effective Range: Halogen - 994m @ 1 LUX (Pair)
HID - 1204m @ 1 LUX (35W HID Pair)
1711m @ 1 LUX (50W HID Pair)
Lens Diameter: 240mm | 9.5 in
Lens Material: Polycarbonate
Housing: Glass Filled Nylon Composite
Weight: 880g | 1lb 15oz (Single unit)
Standard Bulb: 12V 100W Xenophot 2000 Hour Bulb (24V Halogen Bulbs Available)
HID 2500 Hour Bulb (5000K)
Warranty: 3 Years

Part #	Description
LF-RMDL240	240 Blitz Driving Lamp, Pair
LF-HID240-35	240 Blitz HID Driving Lamp 35W, Pair
LF-HID240-50	240 Blitz HID Driving Lamp 50W, Pair

140 FILTERS & COVERS

140mm (5.6") Driving Lamp Filters & Covers



170 FILTERS & COVERS

170mm (6.8") Driving Lamp Filters & Covers



Part #	Description
LF-FLTR140	140 Clear Filter
LF-FLTR140WA	140 Wide Angle Clear Filter
LF-FLTR140CR	140 Crystal Filter
LF-FLTR140WACR	140 Wide Angle Crystal Filter
LF-FLTR140BLU	140 Blue Filter
LF-FLTR140Y	140 Yellow Filter
LF-FLTR140WAY	140 Wide Angle Yellow Filter
LF-FLTR140A	140 Amber Filter
LF-FLTR140B	140 Black Cover

Part #	Description
LF-FLTR170	170 Clear Filter
LF-FLTR170C	170 Combo Clear Filter
LF-FLTR170WA	170 Wide Angle Clear Filter
LF-FLTR170CR	170 Crystal Filter
LF-FLTR170CCR	170 Combo Crystal Filter
LF-FLTR170WACR	170 Wide Angle Crystal
LF-FLTR170BLU	170 Blue Filter
LF-FLTR170CBLU	170 Combo Blue Filter
LF-FLTR170Y	170 Yellow Filter
LF-FLTR170CY	170 Combo Yellow Filter
LF-FLTR170WAY	170 Wide Angle Yellow Filter
LF-FLTR170A	170 Amber Filter
LF-FLTR170CA	170 Combo Amber Filter
LF-FLTR170B	170 Black Cover

240 FILTERS & COVERS

240mm (9.5") Driving Lamp Filters & Covers



Part #	Description
LF-FLTR240	240 Clear Filter
LF-FLTR240C	240 Combo Clear Filter
LF-FLTR240CR	240 Crystal Filter
LF-FLTR240CCR	240 Combo Crystal Filter
LF-FLTR240Y	240 Yellow Filter
LF-FLTR240CY	240 Combo Yellow Filter
LF-FLTR240A	240 Amber Filter
LF-FLTR240CA	240 Combo Amber Filter
LF-FLTR240BLU	240 Blue Filter
LF-FLTR240CBLU	240 Combo Blue Filter
LF-FLTR240B	240 Black Cover



Bulbs, Handheld Lights, Mounts & Accessories

LightFORCE™

BULBS

Genuine Lightforce Replacement Bulbs



Horizontal Filament
(LF-GL02)



Vertical Filament
(LF-GL06)

ACCESSORIES

Genuine Lightforce Driving Lamp Accessories



Wiring Harness



Anti-Theft Lock Nuts



HID Upgrade Kit

REPLACEMENT PARTS

Genuine Lightforce Driving Lamp Replacement Parts



Replacement Arm



Low Foot Mount

ENFORCER HANDHELD LIGHTS

Genuine Lightforce Handheld Lights



HALOGEN 170 Enforcer
with Battery Pack




HALOGEN 170 ENFORCER
without Battery Pack



Battery Pack

DIMENSIONS:



Lightforce has bulbs available including 12V & 24V in 30W, 50W, 75W and 100W for various applications. Preserve the original performance of your lights; insist on genuine Lightforce supplied replacement bulbs.

Parts & Accessories

Part #	Description
LF-GL02	12V 100W Bulb
LF-GL05	12V 75W Bulb
LF-GL07	12V 75W Bulb, Vertical Filament
LF-GL12	24V 50W Bulb
LF-GL13	24V 100W Bulb
LF-GL14	12V 30W Bulb, High Performance

Genuine Lightforce accessories simplify installation of driving lights. Looms with preterminated connections and quality workmanship will ensure your lights' performance is at optimum level.

Genuine Lightforce HID upgrade kits convert your existing Lance 140, Striker 170 or Blitz 240 halogen lights to new generation 35W, 5000K HID technology using original equipment components to optimize performance.

Parts & Accessories

Part #	Description
LF-RMKIT50	HID Upgrade Kit for RMDL Lights (1 per light)
LF-WH	Lightforce Wiring Harness for Driving Lamps
LF-ATN10MM	Anti-Theft Lock Nuts 10mm, Pair

Genuine Lightforce replacement parts, preserve the effective life of your purchase and keep your Lightforce product in top condition

Parts & Accessories

Part #	Description
LF-REFH140	Reflector housing 140 Lance
LF-REFH170	Reflector housing 170 Striker
LF-REFH240	Reflector Housing for 240 Blitz
LF-RMDLARM	Replacement Arm for 140 Lance, 170 Striker and 240 Blitz
LF-RMDLHIGH	High Mount Foot for 140 Lance, 170 Striker and 240 Blitz
LF-RMDLLOW	Low Mount Foot for 140 Lance, 170 Striker and 240 Blitz

A revolutionary new hand held search light from Lightforce, the Enforcer Halogen is built tough to suit all environments, while offering the power of high quality performance lighting to all users. Featuring a soft ergonomic grip, light weight waterproof construction and a powerful 100w halogen spot beam with separate switched low energy LED task light, Enforcer Halogen encompasses the best in technology and ease of use. Conveniently allowing for a replaceable cord available in either cigarette lighter plug or alligator clip connections. Enforcer Halogen can also convert to cordless operation with the optional battery and charger.

Parts & Accessories

Part #	Description
LF-EF170CC	170mm 100W Handheld Light with Cigarette Plug, Each
LF-EF170AL	170mm 100W Handheld Light with Alligator Clips, Each
LF-EFCC	Replacement Coil Cord with Cigarette Plug, Each
LF-EFAL	Replacement 5M Cord with Alligator Clips, Each
LF-BPEF	Cordless 4.5 A/H Battery and Charger, Each
LF-BPEFS	Spare 4.5 A/H Battery, Each

Also available by special order:

- Halogen Enforcer in 140 & 240mm sizes
- Variable power versions in 170 & 240mm sizes only
- 50W HID versions in 170 & 240mm sizes only